



www.superbiketool.com



SUPER B PRECISION TOOLS CO., LTD.

TEL:886-4-8922207 FAX:886-4-8922205

E-mail:superb@superbiketool.com ; cindy@superbiketool.com

NO.12, LANE 802, FENG-LUEN ROAD, FENG-LUEN VILLAGE, PI-TOUR HSIANG, CHANG HWA, TAIWAN, R.O.C



2019

SUPER B TOOL EXCELLENCE CATALOGUE

TOOL EXCELLENCE

Make You a Bike Master

UNIQUE
•
INTELLIGENT
•
ERGONOMIC

since 1990

As being the leader brand of bike tools, we are proud of the reputation for excellence. Based on our experience in the industry since 1990, Super B has committed to manufacturing of bike tools and providing bike shops, professional mechanics, home mechanics and athletes with full range of excellent tools and solutions of repair service.

Through networking of international distributors in worldwide, high service quality and delivery are ensured. By the certification of managements system, Super B underlines beyond its claim to improve the service continuously. To guarantee the quality of product you receive, we have built a strict inspection system to control the quality from production to packaging.

In the future, Super B keeps to develop and refine bike repairs and improves the efficiency of bike mechanics or professional. Moreover, we will continue to offer the innovative and handy products and be a trouble-shooting pioneer for those who use tools for repair service or for "do-it-yourself".



Super B “shop quality” tools are designed specifically for workshops, professional cycling mechanics or customers who wants the best and most durable tools.

TECHNOLOGY



Technology is our foundation stone. Customer satisfaction is our mission. We put more resources in R&D, product manufacturing and quality control.

CONTENTS

01	WORK STATION	31	TORQUE WRENCHES
03	DISPLAY SYSTEM & APPAREL	33	FREEWHEEL & CASSETTE
05	PROFESSIONAL BICYCLE TOOL SETS	36	BOTTOM BRACKET
08	BICYCLE TOOL SETS	39	CHAINWHEEL
09	FARME & FORK	40	HUB & AXLE
15	CLEANING TOOLS	41	CRANK
17	DISC & DISC BRAKE	42	PEDAL
19	WHEEL TRUNING	43	FOLDING TOOLS
21	SPOKE	47	WORK STANDS
23	CHAIN	49	STORAGE STANDS
25	TUBE & TIRE	55	ESSENTIAL TOOLS
27	TIRE / Y WRENCHES	57	DISTRIBUTORS
29	HEX WRENCHES	59	INDEX

Super B Limited Lifetime Warranty

Under normal usage, if a Super B product defects in material or process issue, the tool will be repaired or replaced. This warranty does not cover consequential damage or cost of injury incurred by the user.

If tools that are worn from normal usage or damaged caused by accident, abuse, neglect, modification, improper application or conjunction with other devices are NOT covered by the warranty.

WORK STATION



TBA9000
Work station

- All-in-one service center is designed for bike shop, professional cycling team, show room or home workshop.
- A complete set of high quality and professional tools includes freewheel turner / freewheel remover, bottom bracket tool, pedal wrench, crank tools, tire levers, hub cone wrenches, Y wrenches, torque wrenches / bit sockets, chain rivet extractors, cable cutter, spoke wrenches, screwdrivers, cleaning tools, apron, frame & fork tools and everything you could think of is all in this work station.
- Three optional accessories: vise TB-1918, iron shelf TB-1919 and work stand TB-1971.

TBA9000

Optional:

- A** 4" Steel vise TB-1918
- B** Iron shelf TB-1919
- C** Work stand TB-1971



TB-WC10
Working chair

- Designed soft cushion makes mechanics to work efficiently and move around freely.
- Two convenient storage spaces for necessary tools and parts.
- Features ball wheel design is for moving around work places easier.
- Height: 310 mm.
- Tools are not included.



A TB-1918
4" Steel vise

- Equipped with durable long lasting jaw and anvil
- 360° swivel base, jaw opening: 4", throat depth: 2-1/4".

B TB-1919
Iron shelf

- Available to mount the optional part of vise, TB-1918.



C TB-1971
Work stand

- Clamp with quick release function.
- Fits tubes upto 2.5".

1st LAYER

A1/A2

- A1:
 - 1-Freewheel remover with guide pin, for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
 - 1-Freewheel turner, for 5 to 10 speed cassettes.
 - 1-Locking wrench, for most lock-rings of bottom bracket.
 - 1-Bottom bracket wrench, for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN®, and similar external B.B. cups with 16 notches.
 - 1-Crank installation tool to remove and install crank arm adjustment cap.
 - 1-Bottom bracket tool & freewheel remover, for Campagnolo® B.B. cups and Campagnolo® cassette lockrings (Record™, Chorus™ and Athena™).
 - 1-Cardige B.B. tool with guide pin, for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
- A2:
 - 8-T/L handle hex wrench, 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.

2nd LAYER

B1/B2

- B1:
 - 1-12" adjustable wrench.
 - 1-Freewheel remover with guide pin, for Shimano®, SunRace®, SRAM®, Chris King®, SunTour®, and other cassette lockrings.
 - 1-Freewheel remover, for Shimano® MF freewheel.
 - 1-Freewheel remover, for 4-notch BMX & single-speed freewheels.
 - 1-Cardrige B.B. tool, for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
 - 1-Cardrige B.B. tool, for Shimano®, Truvativ®, SRAM® and all ISIS Drive® 8-notch B.B. cups.
 - 1-B.B. tool, for Shimano® Hollowtech II, Truvativ® & FSA® MegaExo & Campagnolo® Ultra-Torque, TOKEN® and many other external bearing crankset bottom brackets.
 - 1-1/2" Dr. bit socket 10 mm hex wrench for Campagnolo®.
 - 8-Combination wrench, size: 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 mm.
- B2:
 - 4-Headset wrench, size: 30 / 32 mm, 36 / 40 mm, 15 / 32 mm, 32 / 36 mm.
 - 1-Double-ended bottom bracket locking hook spanner.
 - 2-Double-ended wrench, size: 8 / 10 mm, 9 / 11 mm.



3rd LAYER

C1/C2

- C1:
 - 1-Professional pedal wrench 15 mm.
 - 1-Multi-function pedal wrench 15 mm with 14 / 15 mm box wrench.
 - 1-T-shaped chainset wrench, 3-ended with T30 / hex 5 mm / T30.
 - 1-T-shaped chainring nut wrench, 3-ended with T40 / hex 6 mm / chainring nut wrench.
 - 1-2 in 1 cotterless crank tool, for standard square, splined Shimano® octalink and ISIS Drive® B.B. spindles.
 - 3-Y wrench, size: hex 2 / 2.5 / 3 mm, hex 4 / 5 / 6 mm, T25 / T30 / T40.
 - 8-Hex key wrench w/ ball end, size: 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.
- C2:
 - 7-Professional hub cone wrench, size: 13 / 14 / 15 / 16 / 17 / 18 / 19 mm.
 - 1-B.B. wrench for installation and removal of Campagnolo® (Veloce™, Mirage™, Centaur™, Daytona™ and Avanti™) cartridge bottom brackets.
 - 1-Rotor truing fork.



4th LAYER

D1/D2

- D1:
 - 4-Frame tap, size: 3 mm x 0.5; 5 mm x 0.8; 6 mm x 1.0; 10 mm x 1.0
 - 4-Pedal tap, size: 1/2" x 20 (L & R), 9/16" x 20 (L & R).
 - 1-Inner cable puller.
 - 1-Professional cable & housing cutter.
 - 1-Chain rivet extractor for 1/8" to 3/16" BMX and single speed chain.
 - 1-Chain rivet extractor for 10 & 11 speed chain.
 - 1-Chain rivet extractor for 8, 9 & 10 speed chains, with 1 spare pin and 1 chain hook.
 - 1-2 in 1 chain checker and chain hook.
 - 1-Replacement pins set for Super B chain rivet extractors (10 pcs / kit).
- D2:
 - 4-Spoke wrench, size: 3.2 / 3.3 / 3.5 mm and for Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter and 7 mm thread nipple.
 - 2-Professional tire lever, made of high grade steel.
 - 1-Aero spoke key, size: 0.9 / 1.1 / 1.3 / 1.9 mm.
 - 1-Spoke wrench, size: for Shimano® wheel system 4.3 & 4.4 mm nipples.
 - 1-Spoke wrench, size: for Mavic® 9 mm threaded eyelets and 7 mm integrated nipples.
 - 4-Screwdriver, size: Phillips 0 / 2 and slotted 3 / 6.
 - 4-Nipple tool, size: hex 4.8 mm, hex 5.5 mm, square 3.2 mm and slotted end for conventional slit nipple.
 - 3-Tire lever.



5th LAYER

E1/E2

- E1:
 - 1-Star nut setter for 1" & 1-1/8" threadless headsets.
 - 1-Dead blow hammer.
 - 1-Measure tap, 3 m / 10 ft.
 - 1-Spoke, bearing and crank cotter gauge.
 - 1-Oversized tube cutting guide.
 - 1-Crown race remover for 1", 1-1/8", 1-1/4", 1-1/2" forks.
 - 1-Brake piston press for speeding up pad replacement.
- E2:
 - 1-Bike folding brush.
 - 3-Bike brush.
 - 1-Chain cleaner.



6th LAYER

F

- F:
 - 1-Wheel alignment gauge for 20" to 29" wheels.
 - 1-Hacksaw, with a steel blade 12" (300 mm).
 - 1-Hacksaw blade for cutting carbon components.
 - 1-1/4" Dr. dial-adjust torque wrench 3-15 Nm, with bit sockets: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm, T25.
 - 1-6" Diagonal cutting nippers.
 - 1-7" Combination pliers.
 - 1-8" Long nose pliers.
 - 1-10" Waterpump box joint.



7th LAYER

G

- G:
 - 1-3/8" Dr. dial-adjust torque wrench 12-60 Nm with bit sockets: hex 4 / 5 / 6 / 8 / 10 mm, T25 / T30 / T40, adaptor 3/8" Dr. x 1/2" Dr.
 - 1-Bearing cup press for most standard 1", 1-1/8", 1-1/4" and 1-1/2" headset cups.
 - 1-Head cup remover for 1", 1-1/8" and 1-1/4" press fit external cups.
 - 1-Heavy duty shop apron.

THE NEW DISPLAY AND SALE SYSTEM



TB-PB08, TB-PB10

Pegboard tool storage

- Designed for mechanics at bikeshop or service center to store tools with easy access.
- Tools are not included.
- Spec:

Item No	Peboard	Width x Height (cm)	Screws	Hooks
TB-PB08	8pcs	200 x 80	For wooden wall	0
TB-PB08H	8pcs	200 x 80	For wooden wall	80pcs
TB-PB08-1	8pcs	200 x 80	For concret wall	0
TB-PB08-1H	8pcs	200 x 80	For concret wall	80pcs
TB-PB10	10pcs	250 x 80	For wooden wall	0
TB-PB10H	10pcs	250 x 80	For wooden wall	100pcs
TB-PB10-1	10pcs	250 x 80	For concret wall	0
TB-PB10-1H	10pcs	250 x 80	For concret wall	100pcs

TB-HKS80, TB-HKS100

Hooks for pegboard system

- Optional for TB-PB08 / TB-PB10 / TB-PB30 / TB-PB40.
- Spec:
- TB-HKS80: set of 80 pcs.
- TB-HKS100: set of 100 pcs.



TB-1320

Super B banner

- H: 14.5 cm x L: 33 cm official Super B banner.
- The perfect way to decorate your shop and garage.
- Easy to hang on the wall and board.

TB-PB40

Pegboard display stand


- Great for display all types of tools for sale.
- Width: 50 cm, height: 188 cm.
- Tools and hooks are not included.



TB-PB30

Pegboard display stand

- Great for display all types of tools for sale.
- Width: 100 cm, height: 188 cm.
- Tools and hooks are not included.



TB-1315, TB-1325

Mechanic shirt

- Spec:
- TB-1325: short sleeve.
- TB-1315: long sleeve.



TB-1330

Super B T-shirt



TB-1310

Heavy duty shop apron

- Protect your clothing from dirt or oil while doing maintenance task or repair on your bike by wearing the apron.



TB-1311

Ball cap - Black

- It features Super B logo in raised embroidery at front.



TB-1312

Ball cap - Grey

- It features Super B logo in raised embroidery at front.



TB-98750, TB-98755

Professional bicycle tool set

- Designed for professional shop, bicycle cycling team and home mechanic who wants the best portable tool set.
- Includes the tools needed to perform almost basic repair or adjustment.
- Spec:
TB-98750: 53pcs, comes with the 1st, 2nd, 3rd and 4th layers.
TB-98755: 49pcs, comes with the 2nd, 3rd and 4th layers and leaves the first layer empty for spare parts.



1st LAYER

- 1-Head cup remover for 1", 1-1/8" and 1-1/4" press fit external cups.
- 1-Dead blow hammer.
- 1-Star nut setter for 1" & 1-1/8" threadless headsets.
- 1-Bearing cup press fits most conventional 1", 1-1/8", 1-1/4" and 1-1/2" headset cups.



2nd LAYER

- 6-25L bits with holder, size: Phillips 1/2, slotted 5/7 and T25/T30.
- 1-Stubby wrench.
- 1-Freewheel turner and sprocket removal tool for 5 to 10 speed cassettes.
- 1-Bottom bracket wrench for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN® and similar external B.B. cups with 16 notches.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-Cardridge B.B. tool with guide pin for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face® and Truvativ®.
- 1-Freewheel remover with guide pin for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-2 in 1 cotterless crank tool for standard square, splined Shimano® octalink and ISIS Drive® B.B. spindles.



3rd LAYER

- 1-Double-ended wrench, size: 8 / 10 mm.
- 1-T-shaped chainring nut wrench, size: T40 / hex 6 mm / chainring nut wrench.
- 1-Y wrench, size: T25 / T30 / T40.
- 4-Professional hub cone wrench, size: 13 / 14 / 15 / 17 mm.
- 3-Tire lever.
- 1-Measure tape, 3 m / 10 ft.
- 8-Hex key wrench, size: 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.
- 1-1/4" Dr. dial-adjust torque wrench 3-15 Nm.
- 6-Bit socket: hex 2 / 3 / 4 / 5 / 6 mm, T25.



4th LAYER

- 1-Professional pedal wrench 15 mm.
- 1-Multi-function pedal wrench 15 mm with 14 / 15 mm box wrenches.
- 1-2 in 1 chain checker and chain hook.
- 1-Professional cable & housing cutter.
- 4-Spoke wrench, size: 3.2 / 3.3 / 3.5 mm and for Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter and 7 mm thread nipple.
- 1-Aero spoke key, size: 0.9 / 1.1 / 1.3 / 1.9 mm.
- 1-Chain rivet extractor for 8, 9 & 10 speed chains, with 1 spare pin and 1 chain pin guider.



TB-1170

24 in 1 multi bicycle tool set

- Designed for the casual riders, it includes the tools needed for basic maintenance and repairs at home or on ride.
- A ride saver and a ready-to-go tool set, with light weight: 197 g.
- Contents:
 2 tire levers, 3 self-adhesive patches, 1 metal tube scuffer, multi-spanner (8 mm wrench / bottle opener / Mavic® spoke wrench), 9 / 10 mm box wrench, chain rivet extractor w/ spoke wrench 3.2 mm / 3.5 mm / 3.3 mm / 3.5 mm, link pin holder, hex wrench 5 / 6 mm, hex 4 mm / SL4, hex 3 mm, T25 and PH2.



TB-98555

21pcs bicycle tool set

- 1-Freewheel turner for 5 to 10 speed cassettes.
- 1-Pedal wrench 15 mm.
- 1-Freewheel remover with guide pin for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-Spoke wrench for 3.2 mm (0.127") nipple (Black).
- 1-Spoke wrench for 3.3 mm (0.130") nipple (Green).
- 1-Spoke wrench for 3.5 mm (0.136") nipple (Red).
- 1-Spoke wrench for Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter and 7 mm thread nipple (Yellow).
- 2-Screwdriver, size: Phillips 2 and slotted 6.
- 3-Tire lever.
- 9-T/L handle wrench, size: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm and T25.



TB-98550

35pcs bicycle tool set

- Designed for riders and home mechanics, it is an ideal and durable tool set.
- The wonderful combination of tools to clean, adjust, maintain and other basic repair for your bikes.
- Includes the tools to perform many advanced repair operations, such as disassemble and install pedals, external bearing crank set bottom brackets, hubs, cassette lockrings, adjust spoke, cut cables or housing, clean frame tubes, tires, wheels, chains and so on.
- Contents:
 1-Chain rivet extractor, for 3/32" to 3/16" chain and 8, 9 & 10 speed chains.
 1-Bike folding brush.
 1-Chain cleaner is to clean all speed chains without removing it.
 1-Aero spoke key, for 0.9 / 1.1 / 1.3 / 1.9 mm.
 1-T-shaped crankset wrench, 3-ended with T30 / hex 5 mm / T30.
 1-T-shaped chainring nut wrench, 3-ended with T40 / hex 6 mm / chainring nut wrench.
 1-Measure tap, 3 m / 10 ft.
 1-2 in 1 cotterless crank tool, for both standard square type and Shimano® octalink, ISIS Drive® system, Power Spline or Power Drive bottom bracket interface.
 1-Cardridge B.B. tool, for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, RaceFace® and Truvativ® & TOKEN®.
 1-Freewheel remover with guide pin, for Shimano®, SunRace®, SRAM®, Chris King®, SunTour®, other cassette lockrings and some Shimano® disc brake system lockrings.
 1-B.B. wrench, for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque, TOKEN® and many other external bearing crank set bottom brackets and crank installation tool to remove and install crank arm cap.
 1-Freewheel turner, for 5-10 speed cassettes.
 1-Pedal wrench 15 mm.
 3-Tire lever.
 1-2 in 1 master link pliers-The Trident, to install and remove master links by single hand.
 1-Professional cable & housing cutter.
 2-Hub cone spanner, 13 x 14 x 15 x 16 mm.
 4-Spoke wrench, size: 3.2 / 3.3 / 3.5 mm and for Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter and 7 mm thread nipple.
 9-T/L handle wrench, size: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm, T25.
 2-Screwdriver, Phillips 2, slotted 6.



TB-96710

Essential tool kit

- This survival tool pack is designed for easy carry and comes with all essentials for riders.
- A perfect tool pack for taking on the road or trail without worry.
- Contents:
 Saddle bag, mini pump, 3 tire lever, 1 patch repair kit (self-adhesive patch x 6 and sandpaper x 1), 16 in 1 folding tool (2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench, T25 / T30, Phillips 1 screwdriver, chain rivet extractor with spoke wrenches 3.2 / 3.5 / 3.3 / 3.5 mm and link pin holder).

Super B provides various tool boxes for team mechanics. Includes the Premium series tools of the most frequently used tools in high quality blow case for storage and transportation.

**TBA3000****30 pcs bicycle tool set**

- 3-Steel core tire lever.
- 1-Y wrench, size: hex 4 / 5 / 6 mm.
- 1-Y wrench, size: T25 / T30 / T40.
- 1-Professional pedal wrench 15 mm.
- 4-Professional hub cone wrench, size: 13 / 14 / 15 / 17 mm.
- 1-2 in 1 chain checker and chain hook.
- 1-Double-ended wrench, size: 8 / 10 mm.
- 1-Cartridge B.B. tool with guide pin for Shimano®, ISIS Drive® splined 20-tooth, bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
- 9-Hex key wrench, size: 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.
- 1-B-shaped spoke wrench, size: 3.2 / 3.3 / 3.5 / 4.0 mm.
- 1-Bottom bracket wrench for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN® and similar external B.B. cups with 16 notches.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-Freewheel remover with guide pin for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-2 in 1 cotterless crank tool for standard square, splined Shimano® octalink and ISIS Drive® B.B. spindles.
- 1-Chain rivet extractor for 8, 9 & 10 speed chains, with 1 spare pin and 1 chain hook.
- 1-Freewheel turner and sprocket removal tool for 5 to 10 speed cassettes.
- 1-Blow case.

**TBA2000****36 pcs bicycle tool set**

- 1-L handle.
- 3-Steel core tire lever.
- 1-1/4" Dr. to hex socket adaptor.
- 3-1/4" Dr. socket, size: hex 8 / 9 / 10 mm.
- 1-8 mm hex key wrench with 1/2" Dr. adaptor.
- 1-Headset wrench, size: 32 / 36 mm.
- 1-Double-ended wrench, size: 8 / 10 mm.
- 6-Hex key wrench, size: 2 / 2.5 / 3 / 4 / 5 / 6 mm.
- 2-Hub cone wrench, size: 13 / 14 / 15 / 17 mm.
- 1-Chainring nut wrench with crank adjustment cap remover.
- 1-B-shaped spoke wrench, size: 3.2 / 3.3 / 3.5 / 4.0 mm.
- 1-2 in 1 cotterless crank tool for standard square, splined Shimano® octalink and ISIS Drive® B.B. spindles.
- 1-Chain rivet extractor for 8, 9 & 10 speed chains, with 1 spare pin and 1 chain hook.
- 1-Freewheel turner for 5 to 10 speed cassettes.
- 1-Cartridge B.B. tool for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
- 1-Bottom bracket wrench for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN® and similar external B.B. cups with 16 notches.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-Multi-function pedal wrench 15 mm with 14 / 15 mm box wrenches.
- 6-25L bits with holder, size: Phillips 1 / 2, slotted 5 / 7 and T25 / T30.
- 1-Freewheel remover for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-Blow case.

**TBA1000****17 pcs bicycle tool set**

- 3-Steel core tire lever.
- 1-Y wrench, size: hex 4 / 5 / 6 mm.
- 1-Y wrench, size: T25 / T30 / T40.
- 2-Hub cone wrench, size: 13 / 14 / 15 / 17 mm.
- 1-Double-ended wrench, size: 8 / 10 mm.
- 1-2 in 1 chain checker and chain hook.
- 1-B-shaped spoke wrench, size: 3.2 / 3.3 / 3.5 / 4.0 mm.
- 1-Screwdriver, size: Phillips 2 / slotted 6.
- 1-Multi-function pedal wrench 15 mm with hex 8 / 10 mm wrench.
- 1-T-shaped chainring nut wrench, size: T40 / hex 6 mm / chainring nut wrench.
- 1-Chain rivet extractor for 8, 9 & 10 speed chains, with 1 spare pin and 1 chain hook.
- 1-2 in 1 cotterless crank tool for standard square, splined Shimano® octalink and ISIS Drive® B.B. spindles.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-Blow case.

Classic bicycle tools sets designed for riders and home mechanics to maintain and do some basic repairs. Offer you the great performance.

Economical



Economical

**TBA300****21 pcs bicycle tool set**

- 1-Freewheel turner for 1/8" fixed gear sprockets.
- 1-2 in 1 cotterless crank tool for both standard square type and Shimano® octalink, ISIS Drive® system, Power Spline or Power Drive bottom bracket interface.
- 1-Multi-function pedal wrench, 15 mm pedal wrench with 8 / 10 mm hex wrench.
- 1-Freewheel remover for Shimano® HG cassettes.
- 1-Chain rivet extractor, for 3/32" to 3/16" chains and 8, 9 & 10 speed chains.
- 1-B.B. wrench, for Shimano® Hollowtech II, Truvativ GXP®, FSA® MegaExo, Campagnolo® Ultra-Torque, TOKEN® and other external bottom brackets.
- 1-Crank installation tool.
- 6-Hex key, size: 2 / 2.5 / 3 / 4 / 5 / 6 mm, with a holder to use with hex key as being a handle.
- 1-Patch repair kit, self-adhesive patch x 6, sandpaper x 1.
- 1-Spoke wrench, 3.2 / 3.3 / 3.5 mm.
- 1-Adaptor 8 mm hex x 1/2" Dr.
- 1-Double-ended Torx® key, T25.
- 3-Tire lever.
- 1-Blow case.

TBA500**27 pcs bicycle tool set**

- 1-Pedal wrench 15 mm.
- 2-Screwdriver, size: Phillips 2 and slotted 6.
- 1-8 mm hex key & 1/2" Dr. adaptor.
- 3-Tire lever.
- 1-2 in 1 cotterless crank tool for standard square type crank & Shimano® splined octalink and ISIS Drive®, with 14 mm box wrench.
- 6-Hex key wrench, size: 2 / 2.5 / 3 / 4 / 5 / 6 mm.
- 1-Chain rivet extractor, for 8, 9 & 10 speed chains.
- 1-Double-ended wrench, size: 8 / 10 mm.
- 1-Freewheel remover for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-Freewheel turner for 1/8" fixed gear sprocket.
- 2-Hub cone spanner, size: 13 / 14 / 15 / 16 mm.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-B.B. wrench for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN® and similar external B.B. cups with 16 notches.
- 1-O-shaped spoke wrench, size: 9 G-15 G.
- 1-Cartridge B.B. tool for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
- 1-Patch repair kit.
- 1-Double-ended Torx® key, T25.
- 1-Blow case.

TBA600**25 pcs bicycle tool set**

- 1-Pedal wrench 15 mm.
- 1-Screwdriver, size: Phillips 2.
- 1-8 mm hex key & 1/2" Dr. adaptor.
- 3-Tire lever.
- 1-2 in 1 cotterless crank tool for standard square, Shimano® splined octalink and ISIS Drive®, with 14 mm box wrench.
- 6-Hex key wrench, size: 2 / 2.5 / 3 / 4 / 5 / 6 mm.
- 1-Chain rivet extractor, for 8, 9 & 10 speed chains.
- 1-Double-ended wrench, size: 8 / 10 mm.
- 1-Freewheel remover for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-Freewheel turner for 5 to 10 speed cassettes.
- 2-Hub cone spanner, size: 13 / 14 / 15 / 16 mm.
- 1-Headset wrench, size: 30 / 32 / 36 / 40 mm.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-B.B. wrench for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN® and similar external B.B. cups with 16 notches.
- 1-O-shaped spoke wrench, size: 9 G-15 G.
- 1-Cartridge B.B. tool for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
- 1-Patch repair kit.

TBA800**29 pcs bicycle tool set**

- 1-Chain rivet extractor for 8, 9 & 10 speed chains.
- 1-Screwdriver, size: Phillips 2.
- 1-Y wrench, size: T25 / T30 / T40.
- 1-Cable cutter.
- 4-Hub cone wrench, size: 13 / 14 / 15 / 17 mm.
- 8-Hex key wrench, size: 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.
- 1-Pedal wrench 15 mm.
- 1-Freewheel turner for 5 to 10 speed cassettes.
- 1-Cartridge B.B. tool with guide pin for Shimano®, ISIS Drive® splined 20-tooth, bottom bracket cups, FSA®, Race Face®, Truvativ® and TOKEN®.
- 1-Chainring nut wrench with crank adjustment cap remover.
- 1-Freewheel remover with guide pin for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and similar cassette lockrings.
- 1-2 in 1 cotterless crank tool for standard square, splined Shimano® octalink and ISIS Drive® B.B. spindles.
- 1-B.B. wrench for Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque™, TOKEN® and similar external B.B. cups with 16 notches.
- 1-Crank installation tool to remove and install crank arm adjustment cap.
- 1-O-shaped spoke wrench, size: 9 G-15 G.
- 3-Tire lever.
- 1-Patch repair kit.



TB-1935
Bearing cup press

- It's for precise cup adjustment and tight press to fit most conventional 1", 1-1/8", 1-1/4" and 1-1/2" headset cups.
- Presses cartridge bearings and cups into one-piece bottom.
- Features a quick release design for users to easily operate.



TB-935F
Bearing cup press extender

- Designed for mini-wheel bike, especially for longer head tube.
- Optional part for TB-1935, available extension 350 mm, can support head tube of maximum 600 mm.



TB-935B, TB-935D
Bearing cup press adaptor

- Optional for bearing cup press, TB-1935, to install 1-1/8" ZS and 1-1/2" ZS headset to avoid damage lightweight headset.
- Can also use on bearing preset headset on another side.
- Spec:
TB-935B: for 1-1/8" ZS headset, 2 pcs / set.
TB-935D: for 1-1/2" ZS headset, 2 pcs / set.



TB-1938, TB-1939
Crown race setting system

- The heavy duty driver tube and specially-sized aluminum setting rings can safely, quickly and precisely install crown races.
- Spec:
TB-1938: includes 6 rings for most 1" and 1-1/8" headset systems.
TB-1939: includes 2 rings for 1.5" and 1-1/4" headset systems.



TB-1131
Star nut setter

- Quick and easy to install star-fangled nuts.
- Sets the star-fangled nut to 15 mm and keeps it straight.
- Fits 1-1/2" threadless headset.



TB-1130
Star nut setter

- Quick and easily installs star-fangled nuts.
- Designed handle prevents fingers pinched.
- Star nut is not included.
- Fits 1" and 1-1/8" threadless headsets.



TB-1938

TB-1939



TB-1945
Fork threading set

- Professional design for cutting new threads and chasing existing threads on fork thread set including fork columns that are not chromed.
- The expandable cutting dies are made from highest quality speed steel (HSS) for accurate cutting.
- Specially designed to allow the metal chips and shavings that produced during use to fall completely through the guide, preventing damage to the fork threads and the tool.
- Spec:
TB-1945: Include full set of 1", 1-1/8", 1-1/4" cutting dies, cutting guides, and die handles.
TB-1945-1: 1" x 24TPI cutting die, cutting guides, and die handles.
TB-1945-2: 1-1/8" x 26TPI cutting die, cutting guides, and die handles.
TB-1945-3: 1-1/4" x 26TPI cutting die, cutting guides, and die handles.
- Optional cutting die and guides:
TB-945A: 1" x 24TPI cutting die.
TB-945B: 1-1/8" x 26TPI cutting die.
TB-945C: 1-1/4" x 26TPI cutting die.
TB-945D: 1" cutting guide.
TB-945E: 1-1/8" cutting guide.
TB-945F: 1-1/4" cutting guide.



TB-1917
Tubing cutter

- The blade is made of highest speed steel (HSS) to have a clean and straight cut on the steel and aluminum tube.
- Fits 6-38 mm tube (1/4"~1-1/2").
- Includes a tube deburring tool and a spare blade.



TB-1161, TB-1161-1
Hacksaw

- Blade tension adjustable and comfortable handle make it an ideal hacksaw for you.
- TB-1161: Includes one steel blade 12"(300 mm) to cut metal components.
- TB-1161-1: Attached 2 blades, one steel blade 12"(300 mm) to cut metal components and one tungsten steel blade (TB-1161A) to cut carbon components.




TB-1948
Crown race cutting tool

- Heavy duty and high quality machining tool is for milling both the outer edge and lower surfaces of the crown race seat, ensuring a smooth, accurate cut and proper alignment of the fork in the frame.
- Includes 4 cutters and 2 guides for:
26.5 mm and 27.1 mm crown race seats on 1" forks.
30.1 mm crown race seats on 1-1/8" fork.
39.8 mm crown race seats on the tapered fork with upper 1-1/8" and lower 1-1/2".



TB-1169
Oversized tube cutting guide

- Perfectly guides a hacksaw to cut airfoil shaped seat posts up to 75 mm or round tubes from 1" to 1-3/8" in diameter.



TB-1169A
Cutting guide plate

- Spare parts for TB-1169.
- Set of 2 pcs.

TB-1161A
Hacksaw blade for carbon components

- Tungsten steel blade is specially designed to smoothly cut carbon composite handlebars, forks, seat masts, seat posts, etc.
- It's similar to grinder or grinding stone, but it's more efficient.
- For carbon composite only, not for cutting alloy.
- Spare parts for hacksaw, TB-1161 and TB-1161-1.



TB-1926
Universal crown race puller

- A precision tool for quickly and easily removing the headset crown race from the crown race seat of the fork.
- Universal design works with 1", 1-1/8", 1-1/4" and 1-1/2" crown race / fork (suspension, rigid) combinations, especially for carbon fiber, and aluminum racing forks.
- Built with heavy duty structure for shop daily use.



TB-1926A
Universal crown race puller blade

- Replacement parts for universal crown race puller TB-1926.
- Packed in 2 pcs / set.

Head cup remover

Made from high grade, heat treated steel for shop daily use. The tool makes your job of headset cup removal easily.



TB-1936, TB-1937, TB-1941

Head cup remover

- Spec:
- TB-1936: for 1", 1-1/8" and 1-1/4" press fit external cup.
- TB-1937: for 1", 1-1/8" press fit internal cup and 1-1/2" press fit external cup.
- TB-1941: for 1-1/4" and 1-1/2" press fit internal cup.



TB-HS30~TB-HS40

Headset wrench

- The headset wrench is made of Cr-Mo steel with laser cutting and heat treatment for long life.
- Specifically designed cone end to work on the headset.
- Spec:
- TB-HS30: 30 x 32 mm
- TB-HS32: 32 x 15 mm.
- TB-HS36: 32 x 36 mm
- TB-HS40: 36 x 40 mm.



TB-1925

Crown race remover

- Features an easy to use, universal design that will work on both ridged and suspension forks with crown races.
- Updated with the replaceable blades design.
- Blades are necessarily thin and will wear with use.
- For 1", 1-1/8", 1-1/4" and 1-1/2" fork to remove the headset crown race from the fork.



TB-1947

Seatpost sizing gauge

- Accurate gauge for quick checking the diameter of seat tube.
- Size range from 25 mm to 31.8 mm.
- Laser etched readings last for longevity.



TB-1943

Frame & fork end alignment gauge set

- Determines whether dropouts are aligned and parallel to avoid bent axles or skewers, tracking and index shifting problems.
- Long handles and comfortable grips provide you superior leverage for straightening.



TB-1946


Derailleur hanger alignment gauge

- Designed to measure and straighten misaligned derailleur hangers.
- Simple and accurate to check the alignment of rear derailleur hanger and solve most derailleur shifting problems, especially those with index shifting systems.
- Updated to work on more frames, includes thru axle frames.
- Fits to most wheels, 20-29".

TB-1942

Frame alignment gauge

- Check the alignment of frame quickly and accurately at the dropout.
- Put the tool on dropout and compare the indicator distance with the dropout on the opposite side.
- If both dropouts have the same distance to retractable pointer, the frame is aligned.
- Retractable pointer fits all sizes and types of bicycles.



Opening: 100 - 155 mm.



Opening: 75 - 130 mm.

TB-1944

Frame and fork adjustment tool

- Expanding & compressing steel forks, chain stays, and seat stays.
- Designed threads provide great leverage.
- Adjusting bars opening:
- inside distance 75-130 / outside distance 100 - 155 mm.
- Note: not available for carbon or suspension frames and forks.



After crash



After replacing TB-ET05

TB-ET05

Emergency hanger

- Intelligent design for getting you back home.
- Designed to temporarily replace a hanger that is damaged or broken on a ride.
- Mounts to most dropouts.
- Work with most frames, derailleurs with 5 mm QR and 9 mm / 10 mm thread axle.
- Included nut for quick release screw.

NEW

TB-ET06

Rear derailleur hanger extension

- The device extends the position of road derailleur to run a wide-range mountain bike style cassette.





552 64 mm facer



655 30.05 mm reamer



656 33.9 mm reamer



657 49.6 mm reamer



658 43.95 mm reamer



659 55.95 mm reamer



6605 41.15 mm cutter set



6625 41.95 mm cutter set



6650 52.05 mm cutter set



663 29.8 mm guide



665 33.7 mm guide



670 reamer extender



666 36.8 mm guide



667 49.4 mm guide



668 43.8 mm guide



669 55.8 mm guide

Headset Standard	Headset Cup Dimension	Head Tube Dimensions	Required for Reaming and Facing	Required for Facing Only
1" Traditional-JIS	30.00~30.10 mm O.D.	29.85~29.90 mm I.D.	N/A	
1" Traditional-Professional	30.20~30.30 mm O.D.	30.05~30.10 mm I.D.	655	663
1-1/8" Traditional	34.05~34.15 mm O.D.	33.90~33.95 mm I.D.	656	665
1-1/4" Traditional	37.05~37.15 mm O.D.	36.90~36.95 mm I.D.	N/A	666
1-1/2" Traditional	49.70~49.75 mm O.D.	49.57~49.61 mm I.D.	552, 657	552, 667
1-1/8" Semi-Integrated	44.05~44.10 mm O.D.	43.95~44.00 mm I.D.	552, 658	552, 668
1-1/2" Semi-Integrated	55.99~56.04 mm O.D.	55.90~55.95 mm I.D.	552, 659	552, 669
1-1/8" Integrated-IS Top	no cup	41.10~41.2 mm I.D., 3.10~3.20 mm Depth, 45 Angle	6605	N/A
1-1/8" Integrated-IS Bottom	no cup	41.10~41.2 mm I.D., 6.90~7.0 mm Depth, 45 Angle		
1-1/8" Integrated-Italian Top	no cup	41.95~42.05 mm I.D., 2.8~3.0 mm Depth, 45 Angle	6625	N/A
1-1/8" Integrated-Italian Bottom	no cup	41.95~42.05 mm I.D., 6.60~6.80 mm Depth, 45 Angle		
1-1/2" Integrated-Bottom	no cup	52.05~52.15 mm I.D., 7.30~7.50 mm Depth, 45 Angle	6650	N/A



TB-HT10, TB-HT11

Head tube reaming & facing set

- Combines reaming and facing of the head tube to produce a great fit for most sizes of head cups.
- A reamer is for cleaning or increasing the diameter of the head tube.
- All cutting facers and reamers are made of high speed steel for hardness.

Spec:

TB-HT10:

Reamer: 30.05 mm, 33.9 mm and extender.
Facer: 64 mm.
Guide: 36.8 mm, 33.7 mm and 29.8 mm.

TB-HT11:

Reamer: 43.95 mm, 55.95 mm and extender.
Facer: 64 mm.
Guide: 43.8 mm and 55.8 mm.



TB-98150, TB-98150-1

Bottom bracket tapping & facing set

- A professional tool for tapping the threads in the bottom bracket shell of a frame as its internal thread is not acceptable.
- All cutters are made of high speed steel for durability.
- Guides to keep the included facing cutter perfectly square with the axis of the bottom bracket for cleanup of the faces of the bottom bracket shell.
- Included a brush to help you to clean up iron filing after tapping, facing in the bottom bracket shell of a frame and iron filing on the taps and the cutters.

Spec:

TB-98150 (for English tap):

1.370" x 24 TPI right hand thread.
1.370" x 24 TPI left hand thread.

TB-98150-1 (for Italian tap):

36 mm x 24 TPI right hand thread.



TB-19000

Tap set with a tap handle

- Designed to be a complete set combining top quality precision frame taps and pedal taps with a tap handle.

Size:

1/2" x 20 left & right ; 9/16" x 20 left & right
4 mm x 0.5 ; 5 mm x 0.8 ; 6 mm x 1.0 ; 8 mm x 1.0 ; 10 mm x 1.0



TB-1901, TB-1902, TB-1903, TB-1904

Frame tap

- Made of high grade steel and are precision ground.
- The frame taps cut easily and fit conventional tap handles.

Spec:

TB-1901: 3 mm x 0.5, for rear wheel drop-out alignment screws.
TB-1902: 5 mm x 0.8, for water bottle, toe clip, fender and rack bosses.
TB-1903: 6 mm x 1.0, for cantilever brakes and large fender bosses.
TB-1904: 10 mm x 1.0, for derailleur hanger.



TB-1905, TB-1906

Pedal tap

- These are made of high carbon steel and are precise ground.
- The pedal taps cut easily and fit conventional tap handles.
- Clean out or restore damaged threads in crank arms.
- Suitable for alloy or steel crank.

TB-1905-L: For 1/2" x 20 left pedal.

TB-1906-L: For 9/16" x 20 left pedal.

TB-1905-R: For 1/2" x 20 right pedal.

TB-1906-R: For 9/16" x 20 right pedal.

Super B chain cleaner is to clean all speed chains without removing it.

- Equipped with magnetic pad to collect metal particles.
- Features with replaceable brushes and sponge and 3 bristle rollers deeply clean dust, grit and debris.
- Recommended to work with environmentally friendly degreaser TB-3225.



TB-3208, TB-32800, TB-32900

Chain cleaner set

- TB-3208 Chain cleaner: Chain cleaner x 1.
- TB-32800 Chain clean set: Bike folding brush TB-1711 x 1, Chain cleaner TB-3208 x 1.
- TB-32900 Chain maintenance set: Bike folding brush TB-1711 x 1, Chain cleaner TB-3208 x 1, Chain lube 5 ml TB-3230 x 1, Environmental friendly degreaser 120 ml TB-3225 x 1.



TB-1718

2 in 1 brush

- Multi-function detachable brush design with environmentally friendly concept.
- Includes 2 soft(white) and 2 hard(black) brushes to clean different parts of bicycle.
- Hard brush(black) is to clean tire, chainring, freewheel, rim...
- Soft brush(white) is to clean frame without damage the surface.



TB-32950

Versatile cleaning kit


- Functional Super B brushes and cleaning tool packed with a take-alone net bag.
- Extraordinary cleaning tool kit for maintaining chain, freewheel, chainring, derailleur, tire, etc.
- Contents: brushes TB-1708, TB-1709, TB-1710, TB-1711 and chain cleaner TB-3208.



TB-1711 PAT.

Bike folding brush

- Features with folding compactly design which is easy for storage.
- Two brush heads with nylon bristles are to clean chains.
- The cog brush end is to get the clogged up mud and mud between cassette sprockets and chains.
- Suits for all types of cycles, including road bikes, mountain bikes etc.



TB-1708

Bike cleaning brush

- A dual-material designed brush comes with sponge and scrub brush for heavy dirty surface.



TB-1709

Bike cleaning brush

- To clean frame and tire.
- A tapered shape brush for narrow space.



TB-1710

Bike cleaning brush

- O-shaped brush is to clean tire, frame tube or other tube surface.



TB-3255, TB-3256

Anti-slip compound

- Designed to create friction and reduce slippage between clamped carbon fiber surface.
- Eliminates the need to over tighten clamps to secure the connections.
- Spec: TB-3255: 100 ml / jar, 12 jars / counter display box. TB-3256: 5 ml / bag, 100 bags / counter display box.



TB-3225

Environmentally friendly degreaser

- The degreaser is designed with specially formula cleanly liquid for using in the chain cleaner.
- The cleaning liquid is perfect to use with Super B chain cleaner TB-3208.
- Quickly removes the grease and grime buildup, without damage to plastic or rubber parts.
- Spec: 120 ml / bottle, 12 bottles / counter display box.



TB-3230

Chain lube

- Chain lube suits for all-weather and dirty environments and keeps chain well lubricated at race speeds.
- Spec: 5 ml, 30 pcs / counter display box.

TB-3235

Poly grease

- The non-soap base and long-lasting lubricant, thickened by polyurea, can reduce friction and wear in the bearing being lubricated under various operation condition and protect against rust and corrosion.
- Spec: 5 ml, 30 pcs / counter display box.

**TB-1940****Disc brake mount facing tool**

- To ensure disc brakes performance, the frame's mounting tabs must be aligned with the brake pads and rotor.
- Made of high-grade steel to perfectly face frame and fork disc brake mounts by removing paint and material to create a clean and flat surface.
- Compatible with International Standard (IS) and Postmount (PM).

**TB-1940A****Adaptor bushings**

- Optional for TB-1940 disc brake mount facing tool.
- Works with 12 mm or 15 mm thru axle.

**TB-BR10****Brake caliper alignment tool**

- Designed to set the proper pad gap and align with hydraulic and mechanical brake caliper.
- Accurate to align the brake caliper on disc brake system.

**TB-MW40****Rotor truing fork**

- Features with two different slot depths.
- Made by laser cut from heat-treated and high quality steel for hardness.
- Dual density molded handle is particularly contoured for comfort.
- Gently adjust bent or damaged brake rotors.

**TB-8075****Hydraulic brake piston press**

- Designed to compress pistons by pushing the brake pads apart to speed service and pad replacement.
- Specially shaped to prevent damages to the pads when compressing.
- Soft handle provides good leverage, comfort and control.

**TB-BR20****Brake shoe tuner**

- The ingenious tool with handy and practical design optimizes the job to tune the brake shoes.
- Works on the rim width 14 mm ~ 24 mm and the rim depth upto 50 mm.



Cable and housing end crimper.



Cuts housing.



Cuts cable.



Housing Reformer for easy installation of ferrules.

TB-WC30 PAT.**Professional cable & housing cutter**

- Made from heat-treated SK5 industrial steel for hardened and durability.
- The cutting jaws is sharp and strong for a clean cut on bicycle cables, housing and spokes.
- Super B patented, built in crimper for cable end caps and forming hole for reforming housing ends and housing ferrules.
- Dual density molded handles are particularly contoured for leverage, comfort and control.
- Two sizes of cable end crimper integrated into handles.

**TB-4574 PAT.****Cable cutter**

- An economical cable cutter, designed for riders and home mechanics.
- Made of heat-treated high grade steel for hardness and durability.
- The cutting jaws are sharp and strong for a clean cut on bicycle cables and housing.
- It has a built in forming tool for reforming housing ends, and housing ferrules crimper for cable end caps, housing end cap.

**TB-HC20****Hydraulic hose cutter**

- Precisely to cut non-metallic hydraulic brake hoses.
- Suits for professional mechanic and home mechanic to get a neat hydraulic hose as more important.
- Includes a spare blade.

**TB-IR10****Internal cable routing tool**

- Guides to install internal cables, wires and house inside the frame.
- Includes cable with attached magnets.
- Adapters: for inner cables, hydraulic hose, Di2 E-tube cable connector.

**TB-WR10, TB-WR11****Double-ended wrench**

- The compact wrenches are designed for professional users, home and traveling mechanics.
- Made of heat-treated and high grade steel Cr-Mo for hardness and durability.
- Specifically designed cone end for easy access to the narrowest area for quick repair.
- Suitable for brakes, shift, etc.
- Spec:
TB-WR10: 8 x 10 mm.
TB-WR11: 9 x 11 mm.

**TB-4585****Inner cable puller**

- Pull cables tight while adjusting brakes or index shifting.
- Features one-hand operation with a thumb lock to hold the cable tight.
- An ideal tool for professionals, workshops and home mechanics.





Thru axle adaptors



Measuring ruler is included.

To measure and true disc brake.
*NOTE: Turn the knob to loosen the arm before using everytime**TB-PF30****Professional wheel truing stand (w/ dial indicator)**

- Updated to accept hub width up to 175 mm and accept max wheel hub width to 210 mm if use with upright extension TB-PF26.
- Designed with dial indicator to provide more accurate operation for daily shop use.
- Measures wheels from 20" thru 29".

Features:

1. The measurement of dial indicator reads to 0.01 mm and provides users with higher accuracy for rear or front wheel truing.
2. All-purpose arms with dial indicators make users easy to measure and true wheels in any angles and positions.
3. Assemble all-purpose arms and dial indicator onto left upright allows user to measure and true disc brake.
4. Extra-long uprights to accommodate wheels up to 29", no need to use extra upright extensions.
5. Includes thru axle adaptors to accept the wheels with thru axle hubs between 10 mm - 20 mm.
6. Can be mounted on bench.
7. Measuring ruler is included.

- NOTE: 1. Turn the knob to loosen the arm before using every time.
- 2. Calibrate the updated stand with centering gauge TB-PF33 if necessary.



To be installed on all-purpose arm.

TB-PF21**Dial indicator**

- The dial indicator is installed on all purpose arms, reads to 0.01 mm and provides you more accuracy on rear and front wheels measurement when truing the wheel.
- Spare part for TB-PF30 and TB-PF36.

TB-PF22**Dial indicator & all-purpose arm**

- All-purpose arms with dial indicators allow users to measure and true wheels in any angles and positions.
- For more accurate wheel and rotor truing.
- Spare part for TB-PF30 and TB-PF36, also optional for TB-PF35 to upgrade.
- Set of 2 pcs.
- NOTE: Turn the knob to loosen the arm(s) before using everytime.

**TB-PF36****Professional mechanic wheel truing stand (w/ dial indicator)**

- Updated to accept hub width up to 175 mm and accept max wheel hub width to 210 mm if use with upright extension TB-PF26.
- Designed with dial indicator to provide more accurate operation for daily shop use.
- Measures wheels from 20" thru 29".

Features:

1. The measurement of dial indicator reads to 0.01 mm and provides users with higher accuracy for rear or front wheel truing.
2. All-purpose arms with dial indicators make users easy to measure and true wheels in any angles and positions.
3. Assemble all-purpose arms and dial indicator onto left upright allows user to measure and true disc brake.
4. Extra-long uprights to accommodate wheels up to 29", no need to use extra upright extensions.
5. Includes thru axle adaptors to accept the wheels with thru axle hubs between 10 mm - 20 mm.
6. Can be mounted on bench.

- NOTE: 1. Turn the knob to loosen the arm before using every time.
- 2. Calibrate the updated stand with centering gauge TB-PF33 if necessary.

**TB-PF26****Upright extension**

- To accept wheel hub up to 210 mm in width (tandem, fat and down hill Bikes)
- Optional parts for Super B[®] wheel truing stands, TB-PF30, TB-PF35 and TB-PF36.


**TB-PF35****Professional mechanic wheel truing stand**

- Updated to accept more types of wheelset with hub width up to 175 mm and accept max wheel hub width to 210 mm if use with upright extension TB-PF26.
- Provides accurate measurement to check for accurate truing.
- Measures wheels from 20" thru 29".


Features:

1. Extra-long uprights to accommodate wheels up to 29", no need to use extra upright extensions.
2. Includes thru axle adaptors to accept the wheels with thru axle hubs between 10 mm - 20 mm.
3. Can be mounted on bench.

- NOTE: Calibrate the updated stand with centering gauge TB-PF33 if necessary.



For previous version of Super B wheel truing stand.



For updated Super B wheel truing stand.

TB-PF32, TB-PF33**Wheel truing stand centering gauge**

- Designed to check if the caliper is centered between the uprights and if two upright forks are parallel.
- High precision laser cut for accurate correction.
- Available for TB-PF30, TB-PF35 and TB-PF36.
- Spec:

- TB-PF32: Gauge is updated for Super B wheel truing stands, which accept wheel hub width to 150 mm.
- TB-PF33: New gauge is for upgraded Super B wheel truing stands, which accept wheel hub width upto 175 mm.

**TB-PF25****Home mechanic wheel truing stand**

- Portable design: Essential for small, mobile workshop and home mechanics.
- Simple and lightweight structure: Specifically for compact storage, transportation, quick and easy set up, repairing buckled wheels and building new ones. Simply open the frame, fold out the gauges and mount your wheel.
- Flippable holders and adjustable precision truing caliper allow working on not only front but also rear wheel for accurately truing.
- Accepts the wheels between 16" - 29" with 9 mm axle hub.



Flippable holders accept both of the front and rear wheels.



Portable and compact design is easy for storage and transportation.

**TB-1930****Wheel alignment gauge**

- Designed to check if rim is centered between the locknuts of the hub, or "dished".
- Easy to check the dish on road, mountain or BMX wheels from 16" to 29".
- Recommend to use with Super B truing stand for perfect alignment.

**TB-SW05****3 in 1 spoke wrench**

- 3.2 / 3.3 / 3.5 mm.

**TB-5540, TB-5550, TB-5560, TB-5596, TB-5598****Spoke wrench**

- The precision-sized spoke wrenches are vinyl coated in five colors, handle with nickel plated hardened steel for durable service.
- Spec:
 - TB-5540 (black): for 3.2 mm (0.127") nipple.
 - TB-5550 (green): for 3.3 mm (0.130") nipple.
 - TB-5560 (red): for 3.5 mm (0.136") nipple.
 - TB-5596 (yellow): for Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter and 7 mm thread nipple.
 - TB-5598 (gray): for Mavic® M7 nipple with 6.4 mm outside diameter.

**TB-SW20, TB-SW22****Spoke wrench**

- Spec:
 - TB-SW20: for 3.2 mm (0.127") nipple.
 - TB-SW22: for 3.5 mm (0.136") nipple.

**TB-5501****Aero spoke key**

- Steel core covered with nylon prevents the flat spokes turned when adjusting the nipple of spoke.
- A ring design makes easier and more stable operation when wearing on the finger.
- Fix Aero spoke, size: 0.9 / 1.1 / 1.3 / 1.9 mm.

**TB-5502****Aero spoke key**

- Deep slots fit wider Aero spokes.
- Steel core covered with nylon prevents the flat spokes turned when adjusting the nipple of spoke.
- A ring design makes easier and more stable operation when wearing on the finger.
- Aero spoke key 0.9 / 1.1 / 1.3 / 1.8 mm.

**TB-5510****"O" spoke wrench**

- Forged with 8 grooves to adjust spoke tension for 9 G – 15 G nipples.
- It is a very useful tool for DIY users.

**TB-5570****Spoke wrench**

- Updated with forge steel for precision and durability.
- Fit most common nipples, size: 3.2 mm (0.127"), 3.3 mm (0.130"), 3.5 mm (0.136").

**TB-5523****B-shaped spoke wrench**

- Precision-sized spoke wrench for nipple size 3.2 / 3.3 / 3.5 / 4.0 mm.
- Made of stainless steel with heat treated for durability.
- B-shaped represents "Super B" philosophy: Super B only makes the BEST quality bike tools.

**TB-5526****Bottle opener**

- Includes a 3.2 mm spoke wrench and a key ring.

**TB-ST11****Professional spoke tension meter**

- The tension meter is a high-precision tool to measure spoke tensions and a necessity for any professional wheel builder.
- Fits most types of spokes.
- Used to precisely measure the spoke tension step by step during the wheel building process.
- Includes a blow case.
- Calibrate the meter by TB-ST01 if necessary.

**TB-7816****Nipple driver**

- Drive nipples quickly and easily for wheel builders.
- Thread the nipples down and works with rims up to 40 mm in depth.
- Includes a spare spring for replacement.

**TB-5516, TB-5517, TB-5518, TB-5519****Spoke wrench**

- Double-ended spoke wrench, heat-treated for hardness.
- Unique and comfortable handle, made of soft plastic material.
- Spec:
 - TB-5516 (black): for 3.2 mm (0.127") and 3.5 mm (0.136").
 - TB-5517 (orange): for Shimano® wheel system 4.3 mm and 4.4 mm nipples.
 - TB-5518 (yellow): for Mavic® 9 mm threaded eyelets and Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter and 7 mm thread nipple.
 - TB-5519 (yellow): for Mavic® 6 splines of integrated nipples with 5.65 mm outside diameter, 7 mm thread nipple and the other end with pin spanner.

**TB-ST12****Spoke tension meter**

- Measures the spoke tension on most types of spoke.
- Simply design is easy and quick to use and read.
- For anyone building or truing wheels.
- Calibrate the meter by TB-ST01 if necessary.

**TB-ST01****Spoke tension meter calibrator**

- Calibrate the accuracy of spoke tension meter.
- For Super B TB-ST11, TB-ST12.

**TB-7811, TB-7812, TB-7813, TB-7814, TB-7815****Internal nipple wrench**

- Extra long driver reaches internal spoke nipples built in deep section of rim.
- Ergonomically T-handle makes it easy for operation.
- Spec:
 - TB-7811: length 110 mm with 4.8 mm hex socket.
 - TB-7812: length 110 mm with 5.5 mm hex socket.
 - TB-7813: length 110 mm with 6.0 mm hex socket.
 - TB-7814: length 110 mm with 3.2 mm square socket.
 - TB-7815: length 80 mm slotted end for conventional slit nipple.

**TB-1162****Spoke, bearing and crank cotter gauge**

- Made of stainless steel.
- A convenient aid for measuring the size of common bicycle parts.
- Put the head of the spoke into the oblong holes and measure the length on the scale easily.
- Also available to measure the size of ball bearings and cotter pins.

Chain rivet extractor

CNC machined chain rivet extractors with ergonomic handle provide superior strength and durability. The patent chain pin guider helps to quickly and accurately secure the chain.



TB-CC65 PAT.

Universal chain rivet extractor

- 3-steps intuitive operation: push the button, put on the cradle and release the button. Then you can break various chains.
- Special design with an adjustable cradle can work on any chains accepted on the tool, including 3/32" - 3/16" single speed and 5 to 12 speed chains.
- Cradle can hold 4 links to ensure that user breaks/install the chain stably and avoid the chain damaged as the chain is still installed on the bike.
- Round and firm wooden grip for superior operation experience.
- Cradle and pin are available for replacement.

TB-CC65A

Chain holder

- Replacement parts for TB-CC65.

TB-CC65B

T-handle

- Replacement parts for TB-CC65.



TB-CC60 PAT.

Tai-Chi chain rivet extractor

- Specifically designed for 10 & 11 speed chains.
- The patent designed chain pin guider (B-shaped part) and ergonomic design make removal and installation a breeze.
- With 1 spare pin and rivet peening tool.



TB-CC30 PAT.

Chain rivet extractor

- For 10 & 11 speed chains.
- With 1 spare pin & 1 chain pin guider with rivet peening function.



TB-CC50 PAT.

Tai-Chi chain rivet extractor

- Specifically designed for 8, 9 & 10 speed chains with accurate size.
- The patent designed chain pin guider (B-shaped part) and ergonomic design make removal and installation a breeze.
- With 1 spare pin.



TB-CC20 PAT.

Chain rivet extractor

- For 8, 9 & 10 speed chains.
- With 1 spare pin & 1 chain pin guider.



TB-CC66 NEW

Universal chain rivet extractor

- For all speed chains, including 3/32" - 3/16" single speed and 5 to 12 speed chains.
- Innovation grip designed with side storage for 2 spare pins, bits and a chain hook.



TB-CC40 PAT.

Chain rivet extractor

- For 1/8" to 3/16" BMX & single speed chains.
- With 1 spare pin & 1 chain pin guider.



TB-3355

Chain rivet extractor

- Economical tool for riders and home mechanics.
- For 3/32" to 3/16" chain and 8, 9 & 10 speed chains.
- The designed bolt helps to work smoothly on any chains, turn the bolt accurately to the chain pin and prevent the chain damaged.



TB-3323 PAT.

2 in 1 master link pliers-The Trident

- Patent and award-winning design, the 2 in 1 master link pliers that allows master links installed and removed by single hand.
- Bold and simple is our philosophy. No complicated structure any more.
- Unique design and specially sized jaws to make removal and connection of master links quick and easy.
- Made of precision, high-grade steel and featuring cushion grips for comfort.
- It's easy to use and built to last for professionals' daily use.



TB-CH30 NEW

Chain keeper tool for 12 mm thru axle

- Innovation tool keeps chain tensioned at rear dropout when the wheel is removed.
- Avoids the chain tangles and frame damaged while transporting the frame without wheel.
- Adjustable design fits 130 - 150 mm in hub width.



TB-CH35 NEW

Chain keeper tool with QR

- Innovation tool keeps chain tensioned at rear dropout when the wheel is removed.
- Avoids the chain tangles and frame damaged while transporting the frame without wheel.
- Fits 12 mm thru axle.
- Adjustable design fits 130 mm to 150 mm in hub width.
- Includes a 5 mm quick release to work on rear dropout with 9 mm & 10 mm x 130 mm & 135 mm QR axle.



TB-3370

Chain rivet extractor

- Combines chain hook and rivet extractor.
- Work on 8, 9 & 10 speed chains and is an investment cast workhorse poured from high grade steel, heat-treated for high hardness and durable service.
- Easy to assemble and break the chain with chain hook.
- Uses the hole in the TB-3370's body to snap pilot end from replacement rivet.
- With 1 spare pin.



TB-3326

2 in 1 chain checker and chain hook

- Features with a precision chain checker can quickly and accurately indicate if the wear and stretch of the chain needs replacement.
- Made of stainless steel by accurate laser cutting.
- When chain with 0.75% and 1% wear, a replacement is suggested.
- Chain hook is a must for you to assemble or break the chain.



TB-3327

3 in 1 gear system tool

- A brilliant tool combines with chain hook, chain checker and freewheel checker.
- Easy for everyone to identify the condition of the chain and freewheel.
- A checkup is strongly suggested before long ride.
- For Shimano® HG / IG.



TB-CH10

Chain keeper tool

- A quick-release lever design to keep the chain under tension when the wheel is removed.
- Features to avoid chain tangled and frame scratched.
- Available for axle 9 mm & 10 mm rear dropout.



TB-CH20

Chain keeper tool

- A quick-release lever design to keep the chain under tension when the wheel is removed.
- Features to prevent chain tangled and frame scratched.
- Available for axle 9 mm & 10 mm rear dropouts, 130 mm & 135 mm in hub width.



TB-3328

Chain tensioner

- Maintain chain tension on rear dropout.
- Available for all speed chain.



TB-1103

Replacement pin

- For all Super B chain rivet extractors.
- Set of 10 pcs.





Economical

**TB-TL01**

Tire lever

- Detachable design is easy for storage and carrying on ride.
- Set of 3 pcs.

**TB-TL05**

Tubular tire lever

- The front edge of orange lever is specially designed to remove the tubular and also regular tire from rim easily.
- Black lever is to remove residual glue on tubular rim easily.
- Set of 3 pcs, 2 orange levers, 1 black remover.

**TB-TL15**

Large tire lever

- Super long levers provide great leverage.
- Nylon made for hardness and can remove the tire from the rim easily.
- Set of 2 pcs.

**TB-5566**

Steel core tire lever

- Heat-treated high grade steel core comes with nylon covered for superior durability and prevents the damage of inner tube.
- Set of 3 pcs.

**TB-1120, TB-1121**

Patch repair kit

- Each kit is packed in an innovative, crocodile head-shaped plastic case with sandpaper for sanding the tube.
- With O ring for achieve hanger function.
- It is a perfect match, a must for riders.
- Packed in a 20-kit countertop display box.
- Contents:

TB-1120:
Tire lever x 2
Self-adhesive patch x 6
Sandpaper x 1

TB-1121:
Tire lever x 2
Round patch x 6
Glue x 1
Sandpaper x 1

**TB-1118**

Patch repair kit

- No glue needed!
- The self-adhesive patches repair kit stretches, twists, flexes, and turns along with the tube.
- Each kit is packaged in a small plastic kit with sandpaper for cleaning the tube and instructions.
- Packed in a 60-kit countertop display box.
- Contents:
Self-adhesive patch x 6
Sandpaper x 1

**TB-TL20**

Professional tire lever

- Made of heat-treated high grade steel for hardness.
- A tip with dual density molded handle is particularly contoured for good leverage, comfort and control to easily remove the tire from rim.
- The tire can be removed just with two levers.
- Fits to most tires and especially for stubborn tires.
- Set of 2 pcs.

**TB-VC20**


60 mm valve extenders

- Designed to extend your Presta valves by 60 mm.
- Set of 2 pcs.

**TB-VC10**


Valve core tool

- Small and handy tool is designed to remove and install Schrader valve, Presta valve cores and Presta valve extender.

**TB-RT05**


Removing tire tool for city bike

- Time saver to replace the tire / tube of bikes without removal of wheel.
- Especially for city bikes with closed chain guard, rear wheel with drum brake system or some internal gear hub.
- Also available for other type brakes, V-brake or Caliper brake.
- Durable for shop daily use.
- Long ergonomic handles provide excellent grip and leverage.
- Fits steel frame city bikes only, not suitable for aluminum frame.

**TB-FP08**

Clever CO2 inflator

- Auto control valve releases the air of CO2 cartridge by intuitive design.
- Precision CNC machined.
- Compatible with Presta and Schrader valve.

**TB-FP09**

CO2 cartridge holder

- 2 threaded CO2 cartridge allowed.
- Mounted on frame by bottle cage screws.

**TB-FP10**

Home mechanic floor pump


- Fits both Presta and Schrader valves.
- Wide and comfortable handle.
- High grade steel barrel and base.
- 2.5" gauge is precise and easy to read.
- Max: 160 psi (11 bar).
- Optional valve is available for replacement.

**TB-FP20**

Professional mechanic floor pump

- Fits both Presta and Schrader valves.
- Wide and comfortable handle.
- Made of lightweight aluminum.
- 2.5" gauge is precise and easy to read.
- Max: 260 psi (18 bar).
- Optional valve is available for replacement.



**TB-VBY1****Foldable Y wrench**

- A fashion way to organize your essential bike tools into one colorful set.
- Foldable, portable and compact size make it easy to carry anywhere.
- Y-shape folding design supports T-shape and L-shape operating.
- Ergonomic handle makes your work easy.
- Good option to make your mechanic colorful and fashion.
- Tool size: hex 4 / 5 mm, T25.

**TB-VBT1****Tire repair kit**

- 3 tire levers inserts with 1 set patch (6 pcs) helps to carry on ride easily.
- Tire lever features rounded shape to remove the tightest tire smoothly and notched handle design prevent slipping while tire removing.
- Contents:
3-tire lever.
6-Self-adhesive patch.
1-Sandpaper.

**TB-1180****26 in 1 mini tool box**

- 1-Hex wrench 3 mm.
- 2-Tire lever.
- 3-Round glueless patch.
- 1-Metal tube scuffer.
- 3-Multi spanner 8 mm wrench, bottle opener, Mavic® spoke wrench.
- 2-9 / 10 mm box wrench.
- 7-Chain rivet extractor w/ spoke wrench for 3.2 / 3.5 mm and Mavic® 5.65 mm nipples, brake piston press, bottle opener and 10 mm box wrench.
- 2-Hex key 4 mm and slotted 4 screwdriver.
- 2-T25 and Philips 2 screwdriver.
- 2-Hex key 5 / 6 mm.
- 1-Link pin holder.

**TB-VBM2****Mini multi tool kit**

- Features to carry the most common tools in the crank hollow of your bike.
- Includes tool: 2 / 4 / 5 / 6 mm hex, Philips 2, T25.
- Fits dia. 21 mm hollow and steel made crank.

**TB-TL08, TB-TL18****Pro tire lever tool**

- Designed to remove and install tires on the rim, especially for narrow tires which is very tight to install.
- Detachable lever can be hooked on the spoke leaving hands free for the second lever.
- Handy, ergonomic and long shape is easy to use.
- Spec:
TB-TL08: set of 2 different tools.
TB-TL18: 20 sets / countertop display box.

**TB-VBM1****Mini tool box**

- Mini tool box carries the most common tools you would need.
- Integrated design case not only secures all the tool bits in the locked position, it also provides a variety of ways to carry.
- Features a flat square shape which covered the tool heads inside the box to prevent the risk of stabbing, scratching or the tool damaged while carrying.
- Vivid design options fit with your unique personality and bicycle.
- 6 color composition provides the user with more recognizable size and a good looking which makes it a good adornment on your bike.
- Offers a perfect portability to hang TB-VBM1 mini tool box anywhere.
- Contents:
Hex 2 / 2.5 / 3 / 4 / 5 / 6 mm,
T25, Philips 2, slotted screwdriver and bottle opener.
box wrench 8 / 9 / 10 mm.


**TB-5568, TB-5569****Tire lever**

- Made of industrial plastic and designed in unique shape for strengthening the structure of the tire levers.
- Wide and flat, compact and lightweight, the greatest take-along lever.
- Strong enough to remove some of the toughest tires, including most of tubeless tires in the world!
- Spec:
TB-5568: set of 3 pcs.
TB-5569: 105 pcs / countertop display box.



Y wrenches

Super B "Y" wrenches are designed for professional mechanics and daily shop use, made from heat-treated steel for superior durability, hardness and high torque for long last. Dual density molded handle is particularly contoured for leverage, comfort and control.



UPDATED

TB-YY05~TB-YY30



Y wrench

- Updated the structure of steel to stand with higher torque applied.
- Spec:
 - TB-YY05: 2 / 2.5 / 3 mm hex key wrench.
 - TB-YY10: T25 / T30 / T40 Torx® wrench.
 - TB-YY15: 4 / 5 / 6 mm hex key wrench.
 - TB-YY20: 8 / 9 / 10 mm socket wrench.
 - TB-YY25 PAT.: 4 / 5 / 6 mm hex key wrench with 8 / 10 / 12 mm sockets.
 - TB-YY30: T10 / T25 / T30 Torx® wrench.



TB-2618, TB-2628, TB-2638, TB-2648

Y wrench

- Specially designed for riders and home mechanics.
- Features heat-treated for hardness and quality consistency.
- Specific sizes marked on hex key wrench that allow sizes to be quickly identified.
- Spec:
 - TB-2618: 4 / 5 / 6 mm hex key wrench.
 - TB-2628: 2 / 2.5 / 3 mm hex key wrench.
 - TB-2638: T25 / T30 / T40 Torx® wrench.
 - TB-2648: 4 / 5 / 6 mm hex key wrench w/ ball end for easy access.



TB-7253

1/2" Dr. bit socket 10 mm hex wrench for Campagnolo®

- Hex 10 mm long bit with 1/2" Drive to make the removal of Campagnolo® Ultra Torque™ semi-axle easier.
- Superior heavy-duty steel designed for high torque applications.
- Used with TB-TW30 3/8" Dr. torque wrench & bit socket set.



TB-7254

Campagnolo® crank bolt tool

- Hex 14 mm is specially designed for Campagnolo® crank bolt.
- Made of high-grade steel, heat-treated for hardness.
- Vinyl dipped and long handle for superior leverage and comfort.



TB-7535, TB-7540, TB-7545

Hex tool

- An ergonomically-designed handle with a long hex for an excellent operation.
- Suitable for disassembly of cranks, freewheel, hubs and pedals.
- Made of high-grade steel, heat-treated for hardness.
- Spec:
 - TB-7535: hex 6 mm.
 - TB-7540: hex 8 mm.
 - TB-7545: hex 10 mm.



TB-TH30

Hex key wrench set

- 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.
- Ball-end wrench helps to guide the wrench for smooth entry and less slippage.
- Made of S2 steel, heat-treated, mirror finished surface for superior strength and durability.
- High torque and high hardness for better durability.
- Includes a durable and removable holder for portability.



TB-TH35

Special hex key wrench set

- For tightening and loosening the hex bolts.
- Specially designed hex end provides extra engagement.
- Saver for stripped or damaged hex bolts.
- L-shaped hex wrench w/ 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.

TB-7705, TB-7715

Hex key wrench set

- An economical hex key wrench set, heat-treated steel for hardness.
- Especially ball-end wrenches of this set help with easy access and less slippage.
- Ball-end wrench sizes are 4 mm, 5 mm and 6 mm.
- Includes durable plastic wrench holder.
- Spec:
 - TB-7705: 2 / 2.5 / 3 / 4 / 5 / 6 mm.
 - TB-7715: 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm.



TB-TH05

Hex key wrench set

- Size: 2 / 2.5 / 3 / 4 / 5 / 6 mm.
- W/ an ergonomic holder / grip to use with.
- Made of high-grade steel, heat-treated for hardness.



TB-7631~TB-7638

T/L handle hex wrench

- Spec:
 - TB-7631: 2 mm.
 - TB-7632: 2.5 mm.
 - TB-7633: 3 mm.
 - TB-7634: 4 mm (ball-end).
 - TB-7635: 5 mm (ball-end).
 - TB-7636: 6 mm (ball-end).
 - TB-7637: 8 mm (ball-end).
 - TB-7638: 10 mm (ball-end).

TB-7625, TB-7630, TB-7640

T/L handle Torx® wrench

- Spec:
 - TB-7625: T25.
 - TB-7630: T30.
 - TB-7640: T40.



TB-76160

T/L handle hex wrench set

- The trendy and unique T/L handle hex set is specially designed by Super B, made of S2 steel, heat-treated with dual density molded handles, particularly contoured for leverage, comfort and control.
- High torque and high hardness for durable service.
- Bench mount and wall mount holder keep wrenches organized right at your fingertips.
- Includes: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm.

Torque wrench is a must tool for professional mechanics, home mechanics and riders.

By using a high quality torque wrench, you would precisely apply a specific torque to a fastener such as a nut or bolt.

Features as below:

- Prevents the frame or component damaged, caused by over tightening.
- A must gauge for carbon or high grade alloy components.



TB-TW55

NEW

Mini ratchet torque kit - 4 / 5 / 6 Nm

- Innovation designed torque bits to apply in both direction, clockwise and counterclockwise.
- Preventing overtightening when the torque bits reaches it's preset value.
- Features with a fine tooth ratchet mechanism with reverse lever to use in ease.
- Includes 4 / 5 / 6 Nm preset torque bits and the 5 most popular tool bits, hex 3 / 4 / 5 / 6 mm, Phillips 2 / T25, a 60 mm extension tool.
- Come in a pocket bag for easy carry on ride.



TB-TW50

Adjustable torque wrench - 4 / 5 / 6 Nm

- Includes bits, size: Hex 3 / 4 / 5 mm and T25.



TB-TW15

Economical torque key

- Affordable option for anyone seeks for torque referring to tighten bolts.
- Torque range: 3 - 10 Nm.
- Include bits: Hex 3 / 4 / 5 / 6 mm, T25 / Phillips 2.



TB-TW20

1/4" Dr. dial-adjust torque wrench 3~15 Nm

- Adjustable torque wrench with dial for easy setup.
- Available for both direction in clockwise and counter-clockwise.
- Includes bit sockets: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm, T25.
- Carried with a blow case for protection.



TB-TW30

3/8" Dr. dial-adjust torque wrench 12~60 Nm

- Adjustable torque wrench with dial for easy setup.
- Available for both direction in clockwise and counter-clockwise.
- Heavy duty and long design is made for leverage to fasten in high torque
- Includes bit sockets: hex 4 / 5 / 6 / 8 / 10 mm, T25 / T30 / T40, adaptor 3/8" Dr. x 1/2" Dr.
- Carried with a blow case for protection.



TB-TW05, TB-TW06, TB-TW07, TB-TW09, TB-TW10, TB-TW12

Preset torque wrench

- Includes the bits, size: hex 3 / 4 / 5 / 6 / 8 mm.
- Carried with a blow case for protection.
- Spec:

TB-TW05: 5 Nm. TB-TW06: 6 Nm. TB-TW07: 7 Nm.
TB-TW09: 9 Nm. TB-TW10: 10 Nm. TB-TW12: 12 Nm.



TB-TW65

Digital torque wrench 3~30 Nm

- 1/4" Dr. torque wrench.
- Bit socket: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm, T25.
- Audio notification when reaching preset torque.
- Display modes include peak to display the max torque applied and trace to show the torque applied.
- LED backlit screen help you read the values even in the dark garage.
- Memory slots record 10 preset torque value.
- Auto turn off the display in 150 seconds.
- Carried with a blow case for protection.

Super B Premium freewheel tools

- Secure the cassette while loosening the locking for removal, with dual density molded handle is particularly contoured for great leverage, comfort and control. This is a essential tool for shops or home mechanics.
- Use chain whip pliers / freewheel turner with freewheel remover to loosen sprockets.



TB-FW40 PAT.

Chain whip pliers

- Super B patented to secure the cassette by one hand easily and quickly.
- Adjustable opening so it is suitable for sprockets with cogs from 10-17 teeth, compatible for 5-12 speed.
- Fixed with a spring to lock the sprocket fast and firm without slipping away.
- Prevent the sprocket deformed and protect your hands from injuries while using.



TB-FW10

Freewheel turner and sprocket removal tool

- Made of heat-treated high-grade steel Cr-Mo and extra long, professional quality freewheel turner and sprocket removal tool provides you superior leverage.
- Features a hook to fit lockings.
- Compatible with 5 to 10 speed cassette.
- Use with freewheel remover, such as TB-FW30 / TB-CP15 / TB-1445 / TB-1465 to loosen sprockets.



TB-FW20

Freewheel turner

- Fits 5 to 10 speed cassettes.
- Made of heat-treated high grade steel.
- Use with freewheel remover, such as TB-FW30 / TB-CP15 / TB-1445 / TB-1465 to loosen sprockets.



TB-FW30

Freewheel remover

- Features a guide pin to work more stable.
- Compatible for Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and other cassette lockrings and as well as some Shimano® disc brake system lockrings.
- Use with chain whip pliers TB-FW40, TB-FW50 or freewheel turner TB-FW10 / TB-FW20 / TB-8860 / TB-8866 / TB-8868 to loosen sprockets.



TB-CP15

Freewheel remover & bottom bracket tool

- Made of CNC machined, heat-treated high grade steel.
- Suitable for Campagnolo® bottom bracket cups and also for Campagnolo® cassette lockrings (Record™, Chorus™, Athena™).
- Use with chain whip pliers TB-FW40, TB-FW50 or freewheel turner TB-FW10 / TB-FW20 / TB-8860 / TB-8866 / TB-8868 to loosen sprockets.



TB-FW50 PAT.

Freewheel removal tool

- Solid locking handle fixes on sprocket easily.
- Super B patent jaw cogs 10-23 teeth 5-11 speed sprocket firmly and easily.
- Single hand operating makes the other hand free to operate freewheel remover.
- Protects your hands from injuries while using.
- Use with freewheel remover, such as TB-FW30 / TB-CP15 / TB-1445 / TB-1465 to loosen sprockets.



TB-CP10

Freewheel remover

- Made of heat-treated steel Cr-Mo for hardness and durability.
- Ideal for professional users and home mechanics.
- Compatible for Shimano® Capreo.

Super B Classic freewheel tools

- Features with classic orange and black molded handle for home mechanics and riders.
- Use chain whip pliers / freewheel turner with freewheel remover to loosen sprockets.



TB-1445

Freewheel remover

- Features with a guide pin to work more stable.
- Suitable for Shimano®, SunRace®, SRAM®, Chris King®, SunTour®, other cassette lockrings and some Shimano® disc brake system lockrings.
- Use with chain whip pliers TB-FW40 / TB-FW50 or freewheel turner TB-FW10 / TB-FW20 / TB-8860 / TB-8866 / TB-8868 to loosen sprockets.



TB-1465

Freewheel remover & bottom bracket tool

- Suitable for Campagnolo® cassette lockrings and Campagnolo® Record™, Chorus™, Athena™ B.B. cups.
- Use with chain whip pliers TB-FW40 / TB-FW50 or freewheel turner TB-FW10 / TB-FW20 / TB-8860 / TB-8866 / TB-8868 to loosen sprockets.



TB-8860, TB-8866, TB-8868

Freewheel turner

- Use with freewheel remover, such as TB-FW30 / TB-CP15 / TB-1445 / TB-1465 to loosen sprockets.
- Spec:
TB-8860: for 5-10 speed cassettes.
TB-8866: for 1/8" fixed gear cassette.
TB-8868: for 11 speed and as well as 9 to 10 speed cassettes.

Super B freewheel remover

Made of heat-treated high grade steel can use with socket wrench TB-SW90 or universal wrench TB-8830.

**TB-SW90****Socket wrench**

- For 1/2" drive sockets.
- Extra long steel with Super B Premium handle provides great leverage.

TB-8830**Universal wrench**

- The 16-32 mm (5/8"-1-1/4") universal wrench is made of Chrome Vanadium, forged and heat-treated for hardness.
- Holds freewheel and locking removers securely for removal and installation.
- Heavy duty for daily shop use.
- Vinyl dipped and long handle is for superior leverage and comfortable.

TB-1010**Freewheel remover**

- Removes Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and other cassette lockrings.
- Fits some Shimano® disc brake system lockrings.
- Use with a 21 mm wrench or 1/2" Dr. ratchet wrench.

TB-1015**Freewheel remover**

- Removes Shimano® HG cassettes, SunRace®, SRAM®, Chris King®, SunTour® and other cassette lockrings.
- Fits some Shimano® disc brake system lockrings.
- Use with 24 mm, 19 mm wrench or 1/2" Dr. ratchet wrench.

TB-1018**Shimano® freewheel body tool**

- Features freewheel body disassembly for maintenance.
- For most of Shimano® hubs.
- Use with a 24 mm wrench or 1/2" Dr. ratchet wrench.

TB-1020**Freewheel remover**

- Features a guide pin to work more stable.
- Removes Shimano®, SunRace®, SRAM®, Chris King®, SunTour® and other cassette lockrings and some Shimano® disc brake system lockrings.
- Use with a 24 mm wrench.

TB-1021**Freewheel remover**

- For Shimano®, SRAM®, Sun Race®, Sun Tour®, Chris King® and other cassette lockrings with 12 mm diameter thru axle hub.
- Features a 12 mm guide pin to stabilize the tool when removing / installing cassette lockrings from thru axle hubs.

TB-1025**Freewheel remover**

- Removes all SunTour® 4-notch freewheels.
- Use with a 24 mm wrench.

TB-1030**Freewheel & B. B. tool**

- Removes for all Campagnolo® cassette lockrings (Record™, Chorus™, Athena™, Centaur™) and also for Campagnolo® bottom bracket cups.
- Use with 1/2" Dr. ratchet wrench and a 21 mm wrench.

TB-1035**Freewheel remover**

- Removes all SunTour® 2-notch freewheels.
- Use with a 23 mm wrench.

TB-1045**Freewheel remover**

- Removes Shimano® MF freewheels.
- Use with a 24 mm wrench.

TB-1050**Freewheel remover**

- Removes 4-notch BMX freewheels & single-speed freewheels from hubs with 12T, 14T and 13T.
- Use with a 24 mm wrench.

TB-1055**Freewheel remover**

- Removes 4-notch BMX & single-speed freewheels.
- Use with a 24 mm wrench.

TB-1085**Freewheel remover**

- Removes Shimano® MF freewheels.
- Use with a 21 mm wrench or 1/2" Dr. ratchet wrench.

TB-1090**Freewheel remover**

- Removes 2-notch single speed, 30 mm diameter freewheels.
- Use with a 24 mm wrench.

TB-1095**Freewheel remover**

- Removes 2-notch single speed, 1-3/8" diameter freewheels.
- Use with a 24 mm wrench.

B.B. bearing tool set

A precise, easy and accurate way to install and remove bearings. It won't damage the cartridge bearing seat into the B.B. shell.

**TB-1927A, TB1928A****B.B. removal tool**

- Spec:
- TB-1927A:** Remove BB86, BB90 and BB92 bearings and other 24 mm axle bearings, includes 3 rubber O-rings for replacement.
- TB-1928A:** Remove BB30 bearings and other 30 mm axle bearings, includes 3 rubber O-rings for replacement.

**TB-1900B, TB-1927B, TB-1928B, TB-1929B****B.B. installation tool**

- Includes press fits to fit various bearings.
- Spec:
- TB-1900B:** install BB86, BB30, BB90 and BB92 bearings.
- TB-1927B:** install BB86 bearings.
- TB-1928B:** install BB30 bearings.
- TB-1929B:** install BB90 and BB92 bearings.

- TB-1065**
Cartridge B.B. tool
- Made of high-grade steel, forged, and heat-treated for hardness and superior quality.
- Suitable for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face® and Truvativ®.
- Use with a 24 mm wrench, 1/2" Dr. ratchet wrench.

TB-1005**B.B. tool**

- Made of high-grade steel, forged, and heat-treated for hardness and superior quality.
- It is used to disassemble and install Shimano® Hollowtech II, Truvativ®, FSA® MegaExo, Campagnolo® Ultra-Torque™, and other similar external bearing crank set bottom brackets.
- Use with a 32 mm wrench, 1/2" Dr. ratchet wrench.

TB-1060**Cartridge B.B. tool**

- Made of high-grade steel, forged, and heat-treated for hardness and superior quality.
- For Shimano®, Truvativ®, SRAM® and all ISIS® 8-notch bottom bracket cups.
- Use with a 32 mm wrench, 1/2" Dr. ratchet wrench.

**TB-19002****2 in 1 B.B. removal / installation tool**

- Install and remove press fit 24mm and 30mm bottom brackets (BB30 and BB86).
- New way to press out the press fit BB from carbon frame without concern of frame damaged.

**TB-19001****B.B. installation tool**

- Install press fit bottom bracket BB30 and BB86.
- Use with 17 mm open wrenches.

**TB-1067****Bosch locking tool**

- Fits for Bosch Active Line, Performance line and CX line.
- To tighten or loosen spider locking for chaining / dangle removing and assembling.
- Compatible with Bosch active / Performance line e-bike models from 2014.

TB-1068**B.B. tool**

- Install and remove 12-notch external bearing bottom brackets.

TB-1069**Bosch locking tool**

- Fits Bosch Active Line Plus and Brose spider locking.
- Use with 1/2" Dr. or 24 mm spanner.

**TB-1066****B.B. tool**

- Designed to hold socket to bottom bracket axle to prevent slippage during installation or removal.
- Fits both square tapered axles and Shimano® octalink and ISIS Drive® system.

**TB-1075****Cartridge B.B. tool**

- Made of high-grade steel, forged, and heat-treated for hardness and superior quality.
- Suitable for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face® and Truvativ®.
- Use with a 1/2" Dr. air driver.

**TB-1080****Cartridge B.B. tool**

- Economical and compact version, deal for home mechanics.
- Made of high-grade steel, forged and heat-treated for hardness and superior quality.
- Suitable for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Race Face® and Truvativ®.
- Use with 32 mm wrench.

Super B Premium bottom bracket wrenches

- Feature with unique bending to access to the bottom bracket and comes with a crank installation tool, engages 8 internal splines of crank arm cap and use with a hex wrench to take off easily.
- Made of heat-treated high grade steel with dual density molded handle particularly contoured for leverage, comfort and control.



TB-BB10, TB-BB11

Bottom bracket wrench

- One end wrench engages 16 notches of bottom bracket cups.
- Disassemble and install Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque, TOKEN® and many other external bearing crank set bottom brackets.
- Spec:
- TB-BB10:** Bottom bracket wrench includes a crank installation tool TB-8911
- TB-BB11:** Includes TB-BB10, a crank installation tool TB-8911 and adaptor TB-BB18 for Shimano® SM-BB9000, SM-BB93 & TOKEN® adaptor TB-BB19 for Shimano® SM-BBR60.



TB-BB15, TB-BB16

Bottom bracket wrench

- One end wrench engages 16 notches of bottom bracket cups.
- Attached a crank installation tool, TB-8911.
- Spec:
- TB-BB15:** To disassemble and install Shimano® SM-BB9000, SM-BB93 & TOKEN®.
- TB-BB16:** To disassemble and install Shimano® SM-BBR60.



TB-BB30

Cartridge B.B. tool

- Features a guide pin to work more stable.
- Made of CNC machined heat-treated high grade steel.
- Suitable for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Truvativ® and TOKEN®.



TB-BB40, TB-BB41

Bottom bracket wrench

- The socket can increase contact area between wrench and B.B. shell, especially for lightweight B.B.
- Disassemble and install Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque, TOKEN® and many other external bearing crank set bottom brackets.
- Spec:
- TB-BB40:** Bottom bracket wrench includes a crank installation tool, TB-8911.
- TB-BB41:** Includes TB-BB40, crank installation tool TB-8911, adaptor TB-BB18 for Shimano® SM-BB9000, SM-BB93 & TOKEN® adaptor TB-BB19 for Shimano® SM-BBR60.



TB-BB35

Professional B.B. tool

- Extra-long arm provides great leverage.
- Features a guide pin to work more stable.
- Made of CNC machined heat-treated high grade steel.
- Suitable for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, Truvativ® and TOKEN®.



TB-CP15

Bottom bracket tool & freewheel remover

- Made of CNC machined heat-treated high grade steel.
- Suitable for Campagnolo® cassette lockrings and Campagnolo® Record™, Chorus™, Athena™ bottom bracket.
- Use with chain whip pliers TB-FW40 or freewheel turner TB-FW10 / TB-FW20 / TB-8860 / TB-8866 / TB-8868 to loosen sprockets.



TB-HB50

Locking wrench

- Suitable for most lock-rings of bottom brackets.
- Made of heat treated high-grade steel, laser cutting for easy assembly and suitable for racing or time trial bike especially.



TB-BB18, TB-BB19

B.B. wrench adaptor

- Use to attach on B.B. wrench TB-BB10 / TB-BB40 / TB-1005 / TB-8919.
- Spec:
- TB-BB18:** for Shimano® SM-BB9000, SM-BB93 & TOKEN®.
- TB-BB19:** for Shimano® SM-BBR60.



TB-8919, TB-8920

B.B. wrench

- Features with classic orange and black molded handle for home mechanics and riders.
- To disassemble and install Shimano® Hollowtech II, Truvativ® GXP, FSA® MegaExo, Campagnolo® Ultra-Torque, TOKEN® and many other external bearing crank set bottom brackets.
- Attached a crank installation tool which engages 8 internal splines of the crank arm adjustment cap.
- Spec:
- TB-8919:** Bottom bracket wrench includes a crank installation tool, TB-8911.
- TB-8920:** Includes TB-8919, crank installation tool TB-8911, adaptor TB-BB18 for Shimano® SM-BB9000, SM-BB93 & TOKEN® adaptor TB-BB19 for Shimano® SM-BBR60.



TB-1455

Cartridge B.B. tool

- Features with classic orange and black molded handle for home mechanics and riders.
- Features a guide pin to work more stable.
- Suitable for Shimano®, ISIS Drive® splined 20-tooth bottom bracket cups, FSA®, RaceFace®, Truvativ® & TOKEN®.



TB-1465

Freewheel remover & bottom bracket tool

- Features with classic orange and black molded handle for home mechanics and riders.
- Suitable for Campagnolo® cassette lockrings and Campagnolo® Record™, Chorus™, Athena™ bottom bracket.
- Use with chain whip pliers TB-FW40 or freewheel turner TB-FW10 / TB-FW20 / TB-8860 / TB-8866 / TB-8868 to loosen sprockets.



TB-8913

B.B. wrench

- Suitable for professional users and home mechanics.
- For 36 mm box-ended and bottom bracket cup with "raised" 16 mm wrench flats.



TB-BB20

Double-ended bottom bracket locking hook spanner

- Made from heat-treated Cr-Mo steel with accurate laser for hardness and durability.
- The hook spanner with 3 notches is for better engagement in the lockrings and the other is a single hook.



TB-8015

B.B. cup tool

- Replaceable and adjustable pins for heavy-duty use allowed to use on B.B. cup.



TB-8018

B.B. cup and freewheel tool

- Replaceable and adjustable pin for heavy-duty use on B.B. cup and freewheel.
- 2.8 mm for B.B. cup and 2.2 mm for freewheel.



TB-8912

B.B. wrench

- To install and remove 6-notch cartridge cups on Campagnolo® (Veloce™, Mirage™, Centaur™, Daytona™ and Avanti™) sealed cartridge bottom brackets.
- Vinyl coated handle provides comfortable application.



TB-8911, TB-8911A

Crank installation tool

- Engages 8 internal splines of the crank arm adjustment cap.
- Use with 6 mm hex key to remove and install crank arm adjustment cap.
- Spec:
- TB-8911:** Material - nylon.
- TB-8911A:** Material - aluminum.

**TB-TH20****T-shaped chainring nut wrench**

- T40 / hex 6 mm / chainring nut wrench.
- Perfect to use with crankset wrench TB-TH10 for the chainring nut.
- Also available to use on other components screwed with T40 / hex 6 mm bolts.

**TB-TH10****T-shaped wrench**

- T30 / hex 5 mm / T30.
- Perfect to use with chainring nut wrench TB-TH20 for the chainring nut.
- Also available to use on other components screwed with hex 5 mm / T30 bolts.

**TB-BP10****Campagnolo® bearing puller and bearing installation set**

- Super B special designed solution to install and remove the pressed bearing from Campagnolo® and Fulcrum® Ultra-Torque™ cranks.
- Super B installation tool prevents damage to the bearing and cranksets, so you neither tap the bearing nor use with a hammer.

**TB-8645****Heavy duty axle & pedal vise**

- It's used in a bench vise to hold hub axle / pedal spindles prevent it from turning.
- 3 different diameter openings accept hub axle or spindle with maximum Ø 20 mm.
- The bridge spring made of hardened spring steel and aluminum jaws won't damage threads.
- A must for every mechanics.

**TB-BP20****Campagnolo® bearing puller and bearing installation set**

- Super B special designed solution to install and remove the pressed bearing from Campagnolo® Power-Torque™ cranks.
- Super B installation tool prevents damage to the bearing and cranksets, so you neither tap the bearing nor use with a hammer.

**TB-6715****Chainring nut wrench**

- Double-ended economical chainring nut wrench is used to tighten or loosen chainring nuts and securely holds the slotted nut to prevent spinning.
- Fit most slotted-type nuts.
- The other end is to remove the dust cap out of the cranks.
- Includes box wrench 9 mm and 10 mm.

**TB-HB100****Professional hub cone wrench set**

- Includes the most common size of hub from 13 to 19 mm (TB-HB13-TB-HB19).

**TB-HB13-TB-HB22****Professional hub cone wrench**

- Made by laser cutting for precision size and heat-treated high-grade steel Cr-Mo is made for consistent quality.
 - Specifically chamfering edge designed for easy access.
 - Dual density molded handles are particularly contoured for leverage, comfort and control.
 - Spec:
- | | | | |
|-----------------|-----------------|-----------------|-----------------|
| TB-HB13: 13 mm. | TB-HB14: 14 mm. | TB-HB15: 15 mm. | TB-HB16: 16 mm. |
| TB-HB17: 17 mm. | TB-HB18: 18 mm. | TB-HB19: 19 mm. | TB-HB20: 20 mm. |
| TB-HB21: 21 mm. | TB-HB22: 22 mm. | | |

**TB-HB24, TB-HB25, TB-HB26, TB-HB28****Double-ended cone wrench**

- Compact wrenches are designed for professional users, home and traveling mechanics.
 - Ideal to take along for quick repair.
 - Precision size, made of Cr-Mo steel, heat-treated for durable service.
 - Spec:
- | | |
|-----------------------------------|-----------------------------------|
| TB-HB24: 13 x 14 mm for hub cone. | TB-HB25: 13 x 15 mm for hub cone. |
| TB-HB26: 15 x 16 mm for hub cone. | TB-HB28: 17 x 18 mm for hub cone. |

**TB-8648-TB-8654****Hub cone spanner**

- Economical hub cones spanners are designed for riders and home mechanics.
 - Made of heat-treated high grade steel for hardness.
 - Vinyl dipped handle provides with comfortable holding.
 - Spec:
- | | | | |
|-----------------|-----------------|-----------------|-----------------|
| TB-8648: 13 mm. | TB-8649: 14 mm. | TB-8650: 15 mm. | TB-8651: 16 mm. |
| TB-8652: 17 mm. | TB-8653: 18 mm. | TB-8654: 19 mm. | |

**TB-HB50****Locking wrench**

- Suitable for most lock-rings of bottom brackets, easy for assembly and suitable for racing or time trial bike especially.
- Made of heat-treated high grade steel for hardness, laser cutting for accuracy.
- Dual density molded handle is particularly contoured for leverage, comfort and control.

**TB-HB08****Double-ended hub cone wrench**

- It's a 28 / 18 mm wrench, especially designed for Shimano® (HB-M976 / M970 / M975 / M776 / M810 and WH-M975 / M776).
- Made by laser cutting for precision size and heat-treated high-grade steel Cr-Mo is made for durable service.
- Ideal for professional users and home mechanics.

**TB-HB10****Double-ended wrench**

- Made by laser cutting for precision size and heat-treated high-grade steel Cr-Mo for durable service.
- Ideal for professional users and home mechanics.
- Spec: 32 / 36 mm is especially designed for Shimano® Dynamo hub.

**TB-8616****Hub cone spanner**

- Made of high grade and heat-treated steel, SK5, for hardness.
- Spec: 13 x 14 x 15 x 17 mm.
- Set of 2 pcs.



TB-CR10 PAT.
2 in 1 cotterless crank tool

- Super B patented to remove crank arms for both standard square type and Shimano® octalink, ISIS Drive® system, Power Spline or Power Drive bottom bracket interface.
- Fine thread and a built-in dual density molded handle is particularly contoured for comfort, control and smooth.



TB-CR20 PAT.
2 in 1 cotterless crank tool

- Super B patented to remove crank arms for both standard square type and Shimano® octalink, ISIS Drive® system, Power Spline or Power Drive bottom bracket interface.
- Fine thread and a built-in dual density molded handle is particularly contoured for comfort, control and smooth.
- Features with both 14 mm socket & 6 / 8 mm hex wrench for crank bolt and pedals.



TB-6485 PAT.
2 in 1 cotterless crank tool

- Designed for riders and home mechanics.
- Super B patented tool to remove crank arms for both standard square type and Shimano® octalink, ISIS Drive® system, Power Spline or Power Drive bottom bracket interface.
- Comfortable handle, fine thread for excellent leverage.



TB-CB10
Crank bolt wrench

- A built-in dual density molded handle is particularly contoured for comfort and smooth.
- Features with both 14 mm & 15 mm sockets.



TB-CB20
Crank bolt wrench

- A built-in dual density molded handle is particularly contoured for comfort, control and smooth.
- Features with both 14 mm socket and 8 mm hex wrench.
- Long handle helps you easily disassemble crank bolts without taking pedals off.



TB-6616
Cotterless crank tool

- For standard square type crank.
- Use with a 8 mm hex key wrench or 15 mm spanner.



TB-6617
Cotterless crank tool

- For Shimano® octalink and ISIS Drive® system.
- Use with a 8 mm hex key wrench or 15 mm spanner.



TB-6618 PAT.
2 in 1 cotterless crank tool

- Features with 14 mm box wrench.
- Super B patented to remove crank arms for both standard square type and Shimano® octalink, ISIS Drive® system, Power Spline or Power Drive bottom bracket interface.
- Fine thread helps you remove cranks smoothly and easily.
- Use with a 8 mm hex key wrench or 15 mm spanner.



TB-PD10
Professional pedal wrench

- Heavy-duty professional pedal wrench 15 mm.
- Unique bending designed for professional mechanics daily use to loosen the bolts on pedal easier.
- Innovative two openings is to remove both side of pedals at different angles and side edge designed to access all wrench flats.
- Dual density molded handle is particularly contoured for leverage, comfort and control.
- Made of heat-treated high grade steel Cr-Mo for hardness and laser cutting for accuracy.

TB-PD55
Professional pedal wrench

- Heavy-duty industrial pedal wrench 15 mm.
- Unique bending designed for professional mechanics daily use to loosen the bolts on pedal easier.
- Extra-long handle (18.5") provides great leverage to remove the stubborn pedals.
- Innovative two openings is to remove both side of pedals at different angles and side edge designed to access all wrench flats easily.
- Made of heat-treated high grade steel SK5 for hardness and laser cutting for accuracy.



TB-MW50
Multi-function pedal wrench

- Features with a 15 mm pedal wrench and 14 / 15 mm sockets with dual density molded handle, which is particularly contoured for comfortable application.
- Made of heat-treated high grade steel SK5 for hardness.



TB-MW60
Multi-function pedal wrench

- Features with a 15 mm pedal wrench and 8/10 mm hex key wrench with dual density molded handle, which is particularly contoured for comfortable application.
- Made of heat-treated high grade steel SK5 for hardness.



TB-PD30
Professional pedal wrench

- Compact size pedal wrench 15 mm is designed for take-along and easy-to-use.
- Side edge designed to access all wrench flats easily.
- Dual density molded handle is particularly contoured for leverage, comfort and control.
- Made of heat-treated high grade steel Cr-Mo for hardness.



TB-PD35
Dummy pedal

- Ideal for bike repair and assembly for those bikes without pedals installed.
- Most new bikes come without pedals.
- TB-PD35 is a handy tool for mechanics to make adjustments during bike assembling.
- It's quickly installed on each crank and suitable for 1/2" and 9/16".



TB-8455
Pedal wrench

- Designed for riders and home mechanics.
- Precision sized for 15 mm pedal and heat-treated steel for hardness.
- Dual density molded handle is particularly contoured for leverage, comfort and smooth.



TB-8625
Double-ended pedal wrench

- Long ergonomic handle provide great leverage and save power.
- Made of heat-treated high grade steel for hardness and laser cutting for accuracy.
- For 15 mm pedal.
- Length: 34 cm.

Wrench-shaped folding tool is made of Chrome Vanadium steel for high quality and hardness. The strong, compact and lightweight tools feature with a spoke wrench on the side plates.



TB-9600
7 in 1 folding tool
• 2.5 / 3 / 4 / 5 / 6 mm hex key wrench.
• Phillips 2 and slotted 5 screwdrivers.



TB-9855
9 in 1 folding tool
• 2 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
• Spoke wrench 3.2 mm.
• Phillips 1 screwdriver, T25.
• One-piece forged bits are for superior durability.



TB-9860
6 in 1 folding tool
• 3 / 4 / 5 / 6 mm hex key wrench.
• Spoke wrench 3.2 mm.
• Phillips 2 screwdriver.



TB-9625
10 in 1 folding tool
• 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
• Phillips 2, slotted 6 screwdrivers and T25.



TB-9865
6 in 1 folding tool
• 4 / 5 / 6 / 8 mm hex key wrench.
• Spoke wrench 3.2 mm.
• Phillips 1 screwdriver.
• One-piece forged bits are for superior durability.



TB-9870
10 in 1 folding tool
• 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
• Spoke wrench 3.2 mm.
• Phillips 2 and slotted 5 screwdrivers.

The side plates of folding tool are made of forged aluminum and the one-piece forged bits work for superior durability. The strong, compact and lightweight tool is essential partner when you are riding, racing or training.



TB-FD10
7 in 1 folding tool
• 4 / 5 / 6 / 8 mm hex key wrench.
• Phillips 1 screwdriver.
• Tire lever x 2.
• One-piece forged bits are for superior durability.



TB-FD20
18 in 1 folding tool
• 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
• Phillips 1 screwdriver, T25 / T30.
• Tire lever x 2.
• Pin holder.
• W/ vinyl housing.
• Chain rivet extractor with spoke wrench 3.2 / 3.5 / 3.3 / 3.5 mm.
• One-piece forged bits are for superior durability.



TB-FD30
7 in 1 folding tool
• 3 / 4 / 5 / 6 mm hex key wrench.
• Phillips 2 screwdriver.
• Tire lever x 2.



TB-FD40
17 in 1 folding tool
• 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
• Phillips 1, slotted 3 screwdrivers, T25.
• Chain rivet extractor with spoke wrench 3.2 / 3.5 / 3.3 / 3.5 mm.
• Tire lever x 2.



TB-FD65
9 in 1 Torx® folding tool
• T7 / T8 / T9 / T10 / T15 / T20 / T25 / T27 / T30.



TB-9755
4 in 1 folding tool
• 4 / 5 / 6 mm hex key wrench, T25.



TB-9751
4 in 1 folding tool
• 4 / 5 / 6 mm hex key wrench, Phillips 2.




TB-9760
8 in 1 folding tool
• 2.5 / 3 / 4 / 5 / 6 mm hex key wrench.
• T25, Phillips 2 and slotted 6 screwdrivers.

Super B new collections!

The NEW folding tool features with CO2 inflator.

The inflator is equipped with control valve to control the volume of air of CO2 to get in the tube.

Attached on the holder for convenient storage and using.



TB-FD70

15 in 1 folding tool

- 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
- Phillips 1 / 2, slotted 3 / 4 screwdrivers.
- T10 / T25 / T30.
- CO2 inflator fits Presta and Schrader valves.



TB-FD60

10 in 1 folding tool

- 2 / 3 / 4 / 5 / 6 mm hex key wrench, Phillips 2 screwdriver and T25.
- CO2 inflator w/ control valve.
- Tire lever x 2.



TB-FD15, TB-FD18, TB-FD25, TB-FD28

Mini T/L folding tool

- Features with mini T/L side plate to use as the handle for leverage.
- One-piece forged bits work for superior durability.

TB-FD15: 5 in 1, 4 / 5 / 6 mm hex key wrench, Phillips 2, slotted 4 screwdriver.

TB-FD18: 8 in 1, 2.5 / 3 / 4 / 5 / 6 mm hex key wrench, Phillips 2, slotted 4 screwdriver, T25.

TB-FD25: 5 in 1, 4 / 5 / 6 mm hex key wrench, Phillips 2, slotted 4 screwdriver.

TB-FD28: 8 in 1, 2.5 / 3 / 4 / 5 / 6 mm hex key wrench, Phillips 2, slotted 4 screwdriver, T25.



TB-FD45

21 in 1 folding tool

- 3 / 4 / 5 / 6 mm hex key wrench.
- Phillips 2 and slotted 6 screwdriver.
- 5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm box wrench.
- Bottle opener, T25 / T30.
- Spoke wrench 3.2 mm / 3.5 mm.



TB-FD50

21 in 1 folding tool

- 2.5 / 3 / 4 / 5 / 6 mm hex key wrench.
- Phillips 2 screwdriver.
- 5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm box wrench.
- Bottle opener, T25.
- Chain rivet extractor.
- Spoke wrench 3.2 mm / 3.5 mm.

A functional, compact, fashion and precision multi tool is a must and companion for a cyclist.

Super B offers a variety of collections to help you get through a wide range of trailside repair.

One pieced forged bit provides high precision and long lasting.



TB-FD55

15 in 1 folding tool

- 15 mm pedal wrench.
- 3 / 4 / 5 / 6 / 8 mm hex key wrench.
- Phillips 1 screwdriver and T25.
- Multi-function chain rivet extractor w/ 10 mm box wrench.
- spoke wrench 3.2 / 3.5 & Mavic® 5.65 mm (M7).
- brake piston press and bottle opener.



TB-9785

14 in 1 commuter daily folding tool

- This advanced 14 in 1 folding tool set is the best partner for every cyclist.
- Comes with the most useful bike tools on your ride.
- Innovatively equipped with 2 pcs of tire lever and 6 pcs self-adhesive patches.
- Also includes 3 / 4 / 5 / 6 mm hex key wrench, Phillips 2 and slotted 4 screwdriver and T25.
- Chain rivet extractor w/ spoke wrench 3.2 / 3.5 mm and Mavic® 5.65 mm (M7).



TB-FD58

14 in 1 folding tool

- 15 mm pedal wrench.
- 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm hex key wrench.
- Phillips 1 / 2 and slotted 4 screwdriver, T10 / T25.
- Tire lever x 2.



TB-9786

10 in 1 commuter daily folding tool

- 3 / 4 / 5 / 6 mm hex key wrench
- Phillips 2 screwdriver, slotted 4 screwdriver and T25.
- 2 pcs of tire lever and 6 self-adhesive patches.



TB-FD05

8 in 1 folding tool

- 4 / 5 mm hex key wrench.
- Phillips 2 screwdriver.
- 6 / 7 / 8 / 9 / 10 mm box wrench.
- Weight: 25 g.
- With a keychain.



TB-FD08

9 in 1 rudder multifunctional keychain

- Hex 3 / 4 / 5 / 6 and Phillips 2.
- Spoke wrench 3.2 / 3.5 mm.
- 10 mm box wrench.
- With a keychain.
- 1 pc / PET case, 20 pcs / counter color box.



**TB-WS20****Home mechanic work stand**

- Clamp height can be adjusted from 106 to 144 cm.
- No tools required to set up for bike maintenance or fold for storage.
- Made of aluminum for lightweight.
- Weight: 6.18 kg.
- Max load: 35 kg.
- Tool tray is included.

TB-WS30**Professional work stand**

- Clamp height can be adjusted from 111 to 154 cm.
- No tools required to set up for bike maintenance or fold for storage.
- Tripod base is designed for superior stability.
- Made of aluminum for lightweight.
- Weight: 6.1 kg.
- Max load: 40 kg.
- Tool tray is included.

TB-WS10**Professional work stand**

- Hold the bike with both axle 9 mm x 100 mm front dropout and 9 mm x 130 mm rear dropout.
- Rotates 360° for easy maintenance to different part of the bicycle.
- Made of lightweight aluminum.
- Folds quickly and compactly for easy transport.
- Max load: 25 kg.
- Tool tray is included.

**TB-WS35****2 in 1 wall & bench mount work stand**

- Designed to be easily mounted to post, wall, bench and flat surface.
- Adjustable linkage clamp allows the bike positioned at any angle.
- Max load: 30 kg.

TB-WS10A**Sliding axle adaptor w/ quick release**

- Spare parts for TB-WS10.
- Quick release is easy to mount the dropouts.
- Available for road bikes with axle 9 mm x 100 mm front dropout and axle 9 mm x 130 mm rear dropout. (It is also available for other bikes which meet the above sizes.)

TB-WS10B**Sliding thru axle adaptor**

- Spare parts for TB-WS10.
- Available for thru axle 15 mm x 100 mm front dropout and thru axle 20 mm x 100 mm front dropout.

**TB-WS40****Professional fixed work stand**

- Heavy duty base or floor mounted design for workshop daily use.
- Clamp height can be adjusted from 100 to 150 cm.
- Weight: 5.43 kg.
- Max load: 50 kg.
- Tools on tray, work stand base (TB-WS12) and digital scale (TB-DS10) are not included.
- Tool tray is included.

TB-WS12**Work stand base**

- Heavy steel, weight up to 28 kg.
- Size: 63 x 61 x 3 cm.
- Optional for TB-WS40.

TB-WS20A**Clamp inlay**

- Made of environmental friendly plastic, TPR.
- Spare parts for Super B work stands.
- Set of 2 pcs.

TB-WS20B**Knob**

- Spare parts for Super B work stands.

TB-WS30A**Base pad**

- Spare parts for Super B tripod work stands.

For E-bike.

Economical

**TB-WS50****Essential work stand for E-bike**

- Clamp can be positioned at 5 directions.
- Adjustable in height, 110 ~ 150 cm.
- Max load: 50 kg.
- Tool tray is not included.

TB-WS45**NEW Lite / foldable storage stand**

- Pivoting hooks and locking screw provide easy operation.
- Lite design suit for home user to do bike cleaning and simple maintenance.
- Max load: 20 kg.
- Tool tray is not included.

TB-WS11**Tool tray**

- Deep-walled compartments and various slots are convenient for the storage of tools.
- Keeps spare parts and lubricants close at hand.
- Spare parts for all Super B work stands.



Especially for E-bike and heavy bike.



TB-1909, TB-1909-1

Deluxe storage stand (double supporter)

- Double supporter of tubular folding stand designed for storing and displaying bicycles.
- Spring-loaded stabilizer arm holds the tire more stable.
- Holds front or rear wheel firmly and without scratching the surface of bike frame.
- Wheel slot fits most types of bikes, such as road bike, MTB, BMX, Cross, especially E-bike and heavy bike.
- Fits on wheelset size 20" - 29" and tire width up to 2.3".
- Spec:
- TB-1909:** w/ normal pads.
- TB-1909-1:** w/ modular connectors to link more storage stands.

TB-1908, TB-1908-1

Deluxe storage stand

- Tubular folding stand designed for storing and displaying bicycles.
- Spring-loaded stabilizer arm holds the tire stable.
- Holds front or rear wheel firmly and without scratching the surface of bike frame.
- Wheel slot fits most types of bikes, such as road bike, MTB, BMX, Cross, especially E-bike and heavy bike.
- Fits on wheelset size 20" - 29" and tire width up to 2.3".
- Spec:
- TB-1908:** w/ normal pads.
- TB-1908-1:** w/ modular connectors to link more storage stands.



TB-1959

Fat bike storage stand

- Optimized for fat bike with tire width from 3" - 5".
- Comes with modular connector to attach multiple storage stands to display or store bikes.




TB-1908-1

TB-1908



Fit thru axle hubs.

Accepts up to 29" wheelset.



TB-1915 PAT.

Bike storage stand

- Super B patented to hold the bike at different weights.
- Economical storage stand, easy to open and use.
- Accepts the rear wheel axle for routine maintenance such as chain lubricating, derailleur adjustment or for storage and display.
- Fits wheels from 20" - 29" size.
- For most of Shimano®, Campagnolo® and common wheelsets.



TB-1907

2 in 1 display stand

- Unique design is to display and demonstrate at shop and exhibition.
- Features reversible and adjustable height holder to accept rear wheels.
- Double-ended holder is coated with soft and flexible TPR to prevent scratching the bike.
- One end is specially designed to accept bike installed on disc brake.
- Fits wheel size from 24" - 29".



TB-1633

Economical work & display stand

- For bike storage and maintenance fast and easy.
- Holders are adjustable in height to fit 20" - 29" wheels.



TB-1964

Economical foldable bike rack

- Mounted on wall for bike storage at home, garage or apartment.
- Vinyl coated hanger prevents the bike frame from scratches.
- Allows the hooks to pivot or to be fixed upon the demand of your bike.
- Updated hook can accept bike tube diameter upto 70 mm.
- Max load: 20 kg.



TB-1635

Hollow crank bike stand

- Designed to rotate the pedal freely when the stand is in use.
- Vinyl coated design can accommodate crankset with 20 mm crank axle without scratches.
- The quick and lightweight solution is easy to use for bike maintenance and storage.

Perfect for home storage, in-store display, and garage storage.
Superior quality free-standing design will not scratch your ceiling.
Made of high quality aluminum tube.

**TB-SS20****Wheelset display stand**

- Tripod base for portability.
- Made of lightweight aluminum tube.
- Includes 6 wheelset hangers (TB-SS20A).
- Adjustable in height from 1.1 – 2.13 meter.
- Max load: 2 kg / per hanger.
- Accepts up to 10 hangers.

TB-SS20A**Wheelset hanger**

- Optional for TB-SS20.
- Designed for displaying wheelsets in exhibition and shop.
- Slot of hanger accepts any wheels with hub 9 / 10 mm, including quick release, thru axle, road bike or MTB.
- Max load: 2 kg per hanger.
- Set of 6 pcs.

**TB-SS22****Wall mounting wheelset hanger**

- Designed for exhibition and shop wheelset display.
- Easy and quick to be mounted on wall or put on slot wall within a few minutes.
- Slot of hanger accepts any wheels with hub 9 / 10 mm, including quick release, thru axle, road bike or MTB.
- Max load: 2 kg per hanger.
- Set of 6 pcs.

**TB-1968****Storage stand**

- Tripod base for portability.
- Made of lightweight aluminum tube.
- Includes 2 hangers (TB-1965B) to hold up 2 bikes.
- Max load: 18 kg per hanger.
- Adjustable in height from 1.1 – 2.13 meter.

TB-1965, TB-1967**Storage stand**

- One-leg base fixed from floor to ceiling.
- Made of lightweight aluminum tube.
- Includes 2 hangers (TB-1965B) to hold up 2 bikes.
- Max load: 18 kg per hanger.
- Spec:
- TB-1965: adjustable in height from 1.85 – 3.2 meter.
- TB-1967: adjustable in height from 2.00 – 3.5 meter.

**TB-SS10, TB-SS11****Professional storage stand**


- Multi-function stand for cycle exhibition, bike shop, bicycle club, team racing and sidewalk storage.
- Easy to assemble the optional extender kit to hold more bikes.
- Tripod base features moving freely and stably.
- Features:
- Max load: 120 kg.
- Adjustable in height: 90 cm – 120 cm.
- Adjustable in width: 120 cm – 240 cm.
- Spec:
- TB-SS10: W/ a carry bag.
- TB-SS11: W/o a carry bag.

**TB-SS10A****Storage stand extender kit**

- Optional for TB-SS10.
- Extends the width of TB-SS10 / TB-SS11 by 240 cm, allows up to 12 additional bikes to be held.

**TB-SS30****Portable storage stand**

- Practical take-along storage stand, lightweight is easy to fold up compactly for storage.
- Features quickly setting up simply with bare hand.
- Multi-function stand for cycle exhibition, bike shop, bicycle club, team racing and sidewalk storage.
- Designed for storage and holding bikes easily.
- Height: 106 cm.
- Width: 120 cm.
- Max load: 60 kg.



TB-1966

TAIPEI CYCLE
EST. 1978

Flexible bike holder

- One-step folding: Special structure and center-of-gravity design needs just one step to fold up to save more space.
- Bionic platform: State-of-the-art bionic platform has elastic surface to accommodate different shapes of things. It can avoid the deformation of occipital retention mechanism when putting the helmet on it.
- Adjustable hanger: These universal hangers can hang gloves, cycling jerseys and other cycling items.
- Brilliant cushion: This excellent shock absorption cushion is applied to the surfaces against the frame and wall to prevent scratching.



TB-1205

Handlebar holder

- Prevents handlebar and front wheel from rotating or moving when the bike is stored or fixed.
- Suits for handle bar O.D. 1-1/8", top tube < 70 mm wide.



TB-1965B

Bicycle hanger of storage stand

- Optional for Super B storage stands, including TB-1965, TB-1967 and TB-1968...etc.



TB-1965C

Table of storage stand

- Optional for TB-1965, TB-1967 and TB-1968 storage stands.
- Available tubes 38 mm – 45 mm in outer diameter.



TB-1817


Ceiling / wall bike slider mount

- Excellent bike storage solution for space saving.
- Ceiling or wall mounted bike rack.
- Slide the hook horizontally to store more bikes.
- Strong mount provides a stable and secure bike storage.
- Vinyl coated hook prevents the bike scratched.
- Includes 2 slider hooks (TB-1817A).
- Max load: 60 kg.

TB-1817A

Slider hook

- Spare parts for TB-1817 ceiling/wall bike slider mount.
- With plastic coating on the hook to avoid scratching the bike.
- Max load: 30 kg per hook.



TB-1821

Storage hook

- Wall mounted hook.
- Width: 35 mm.
- With a nylon nail anchor.



TB-1825

Storage hook

- Wall or ceiling mounted hook.
- Width up to 80 mm.
- With a nylon nail anchor.

TB-1822

Storage hook

- Wall mounted hook.
- Width 165 mm.
- With a nylon nail anchor.



TB-1826

Storage hook

- Wall or ceiling mounted hook.
- Width up to 91 mm.
- With a nylon nail anchor.



TB-1200

Front wheel holder

- Made of aluminum.
- Designed to prevent the handlebars and front wheel from rotating when a bike is mounted on a bike stand.
- It works on most road or mountain bikes.
- Vinyl coated hanger prevents scratching the bike.
- Range of hook opening: 9.5 cm – 23 cm.



Economical

TB-1812

Bike rack

- Designed to mount on wall to store a bike easily.
- Max load: 20 kg.



TB-1823

Storage hook

- Width 53 mm, thread size: M8 x P1.25
- With 2 nuts.



TB-1827

Storage hook

- Wall or ceiling mounted hook.
- Width up to 125 mm.
- With a nylon nail anchor.



TB-1824

Storage hook

- Wall or ceiling mounted hook.
- Width up to 53 mm.
- With a nylon nail anchor.



TB-1828

Storage hook

- For hanging bikes, wheels, etc.
- Width up to 125 mm, thread size: M10 x P1.5
- With 2 nuts.



TB-DS10 Digital scale

- The versatile digital scale is designed to measure accurate weight of bikes, frames and components.
- Perfect to work with Super B work stands.
- Measures weight range from 20g ~ 50 kg with kg / lbs. unit conversion.
- Accurate to ± 5 g from 20 g to 10 kg, ± 10 g from 10 kg to 50 kg.
- Tare and auto power-off function.
- Requires 2 AAA batteries that are not included.



TB-4518 7" Combination pliers



TB-4520 8" Long nose pliers



TB-4515 6" Diagonal cutting nippers



TB-4525 10" Waterpump box joint



TB-PT10 Portable workbench

- Features easy fold up for storage and transportation.
- Designed with sized holes and ditches for putting tools and accessories.
- The foldable legs are made of steel for more stable operation.
- Dimension: L83 cm x W49 cm x H90 cm.
- Max load: 50 kg.
- Tools are not included.



TB-WC10 Working chair

- Designed soft cushion makes mechanics to work efficiently and move around freely.
- Two convenient storage spaces for necessary tools and parts.
- Features ball wheel design is for moving around work places easier.
- Height: 310 mm.
- Tools are not included.



TB-1914 20" magnetic rack

- Collects tools or small metal parts for storage.
- Special modular mounting bracket is extendable for more magnetic racks.
- Powerful permanent magnetic force.
- Tools on rack are not included.



TB-1108 Measure tape

- Handy and portable in tool kit, capable of measuring in both Metric and Imperial units upto 3M / 10 FT.



TB-DS20 Tabletop digital scale

- Specially design for accurate measurement of bike parts and components.
- Measures weight from 0.001 kg to 3 kg, with kg / lbs. unit conversion.
- Accurate to within 1 g.
- Tare and auto power-off function.
- Requires 1 * 3V battery that is not included.



TB-1100 Dead blow hammer

- Steel structure and includes steel shot.



TB-1912 Magnetic collector

- 6" (15 cm) stainless steel tray with rubber coated magnets in the base.
- Keeps small metal parts and tools all in place.



TB-7518, TB-7528, TB-7538, TB-7548, TB-7558 Screwdrivers

- Made of high grade steel, heat-treated for hardness.
- Ergonomically designed grips provide with efficient and comfort for tightening or loosening bolts.
- Spec:
 - TB-7518: Phillips 0, length 75 mm.
 - TB-7528: Phillips 2, length 100 mm.
 - TB-7538: Slotted 3, length 75 mm.
 - TB-7548: Slotted 6, length 100 mm.
 - TB-7558: T10, length 100 mm.



TB-8825 12" adjustable wrench

- Perfectly matched knurl and teeth of jaw for working smoothly.
- Laser-etched metric measuring scale for easy reading.
- Made of high-grade steel, heat-treated for excellent durability.
- Chrome finish for outstanding rust resistance.
- Jaws opens up to 34 mm.



ASIA

China

Shakeland(Kunshan) Bag Co.Ltd
Floor 4, Boshi Building, No. 89 Baoyi Road,
Kunshan, Suzhou, Jiansu Province,
China 215300
Tel: +86 0512 5033 8908
Fax: +86 0512 5765 5730
Url: www.shakeland.com.cn
Exclusive distributor

Hong Kong

Chung Yung Cycle Co.
Flat C, M/F, Lung Ha Bldg,
122-130 San Fung Avenue,
Sheung Shui, N.T., Hong Kong
Tel: +852 2670 3639
Fax: +852 2679 5602
Url: www.hkbicycle.com
Exclusive distributor

Korea

MBS Corporation
180 Chasang-Ro, Uichang-Gu,
Changwon-Si, Gyeongsangnam-Do,
Korea R.O.K.
Tel: +82-55-265-9415~9418
Fax: +82-55-265-9419
Url: www.elfama.com
Exclusive distributor

Malaysia

EVANDA SDN BHD.
153 (No.1), Jalan TIAJ 2/1,
Taman Industri Alam Jaya,
42300 Bandar Puncak Alam,
Selangor, Malaysia
Tel: 603.6038 8928/8929
Fax: 603.6038 9929
Url: www.evanda.com.my
Exclusive distributor

Taiwan

LIKE HOME INTERNATIONAL ENT. Co.,Ltd.
No.489, Sec.2, Chung-Cheng Road, Chang-Hua,
Taiwan, (500)
Tel: +886-4-7250629
Fax: +886-4-7244221
Url: www.likehome.com.tw

Thailand

Probike Co.,Ltd.
237/2 Rajadumri Rd. Lumpini.
Patumwan. Bangkok. Thailand 10330
Tel: +662-253-3384
Fax: +662-254-1077
Url: www.probike.co.th

AFRICA

South Africa

Dragon Sports
15 Solan Road, Gardens,
Cape Town, 8001, South Africa
Tel: +27 (0) 21 461-6252
Fax: +27 (0) 21 461-9273
Url: www.dragons.co.za

OCEANIA

Australia

The Bicycle Corporation Pty. Ltd
43 Redwood Drive. Dingley Village,
Victoria Australia 3172
Tel: +61-3-9518-5400
Fax: +61-3-95581354
Url: www.bikecorp.com.au
Exclusive distributor

NORTH
& SOUTH AMERICA**Brazil**

LM BIKE
Rua Maria Guimarães, 1020
Bairro Maria Fernanda I
Lagoa da Prata, MG, Brazil
Tel: 0800 970 4044
Url: www.lmbike.com.br/
Exclusive distributor

Canada

LTP Sports Group Inc.
1465 Kebet Way Port Coquitlam, BC V3C 6L3
Canada
Tel: +604-552-2930
Fax: +604-552-2931
Url: www.livetoplaysports.com

Chile

Andes Industrial
Santa Elena 1511, Santiago, Chile
Tel: +56 2 26503100
Url: www.andesindustrial.cl

Colombia

HA Bicicletas SA
Calle 14N° 52A-187 Medellin Colombia
Tel: +574 285 50 40
Fax: +574 255 33 43
Url: www.habicicletas.com

Argentina

Carlos Karabitian
Av.Ciudad de Valparaiso 4815
CP: X5016FHM Cordoba Argentina
Tel: +54 351 4936060
Url: www.karabitian.com.ar
Exclusive distributor

EUROPE, RUSSIA
& MIDDLE EAST**Belgium**

Dewo-Europe NV
Steenstraat 16, 1570 Vollezele
Belgium
Tel: +32 (0) 54 31 7780
Fax: +32 (0) 54 56 7099
Url: www.qt-cycletech.com
Url: www.dewo-europe.com
Exclusive distributor

Czech Republic

Cyklo Profi
Vysokomýtská 427 Holice v Čechách
Czech Republic
534 01
Tel: +420 777 275 499
Fax: +420 608 296 508
Url: www.cykloprofi.cz/
Exclusive distributor

Denmark

Bjarne Egedesø A/S
M. P. Allerups Vej 69
5220 Odense SØ
DENMARK
Tel: +45 63168000
Url: www.bikersbest.dk

Finland

Oy Huntteri Ab
Lukkosepänkatu 4,
20320 Turku, Finland
Tel: +358-20-799-1200
Fax: +358-20-799-1219
Url: huntteri.fi
Exclusive distributor

Germany

Messingschlager GmbH & Co.KG
Hassbergstr 45, 96148 Baunach,
Germany
Tel: +49 (0) 9544 9444 45
Fax: +49 (0) 9544 9444 40
Url: www.messingschlager.com
Exclusive distributor

Hungary

Messingschlager GmbH & Co.KG
Hassbergstr 45, 96148 Baunach,
Germany
Tel: +49 (0) 9544 9444 45
Fax: +49 (0) 9544 9444 40
Url: www.messingschlager.com
Exclusive distributor

Italy

Mandelli S.P.A.
Via Tommaso Grossi 5, Carate
Brianza 20841(MB) Italy
Tel: +39 0362 1797800
Fax: +39 0362 807060
Url: www.mandelli.net
Exclusive distributor

Netherlands

Messingschlager GmbH & Co.KG
Hassbergstr 45, 96148 Baunach,
Germany
Tel: +49 (0) 9544 9444 45
Fax: +49 (0) 9544 9444 40
Url: www.messingschlager.com
Exclusive distributor

Poland

Firma Handlowa SAKS Sp. J.
Ul. Nowowiejskiego 33 b
PL 83-000 Pruszcz Gdanski
Tel: +48 58 682-20-87
Fax: +48 58 683-28-48
Url: www.fhsaks.pl
Exclusive distributor

Romania

Messingschlager GmbH & Co.KG
Hassbergstr 45, 96148 Baunach,
Germany
Tel: +49 (0) 9544 9444 45
Fax: +49 (0) 9544 9444 40
Url: www.messingschlager.com
Exclusive distributor

Russia

Veloolimp LTD
Russia, 111524, Moscow,
UL. Elektrodnyaya,
D.2STR. 12-13-14
Tel: +7-495-788-19-52
Fax: +7-495-788-19-52
Url: www.veloolimp.ru
Regional distributor

Spain

Industrias VICMA S.A.
Carretera Nacional 340 km 619,4
Apdo de correos 25. 30850 Totana, Murcia
(España)
Tel: +34 968 424 752
Fax: +34 968 422 778
Url: www.vicma.es

Switzerland

Element Sports Trading GmbH
Wiesenweg 6, 5313 Klingnau, Switzerland
Tel: +41 43 399 08 55
Fax: +41 43 399 02 05
Url: www.elementsports.ch

Turkey

ASLI Bisiklet
Maslak Mah. Ahi Evran Cad. No: 6
42 Maslak Ofis 3 Kat : 6 D:6
34398 Sariyer / Istanbul / TURKEY
Tel: +90 212 527 35 63
Fax: +90 212 522 55 81
Url: aslibisiklet.com

Ukraine

Veloportal company
Vadima Getmana Str, 6a
03057 Kyiv, Ukraine
Tel. +38-044-331-5090
Url: www.veloportal.com.ua

United Kingdom / Ireland

Moore Large & Co Ltd
Grampian Buildings Sinfon Lane Derby
DE24 9GL, UK.
Tel: +44 01332 274252
Fax: +44 01332 274203
Url: www.moorelarge.co.uk
Exclusive distributor

Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE	Item No	PAGE
552~669	13	TB-1455	38	TB-1930	20	TB-4525	55	TB-7811	22	TB-9855	43	TB-CR10	41	TB-HB50	37	TB-SW05	21	TB-WS45	48
TB-1005	36	TB-1465	34	TB-1935	9	TB-4574	18	TB-7812	22	TB-98550	6	TB-CR20	41	TB-HB50	40	TB-SW20	21	TB-WS50	48
TB-1010	35	TB-1465	38	TB-1936	11	TB-4585	18	TB-7813	22	TB-98555	6	TB-DS10	48	TB-HC20	18	TB-SW22	21	TB-YY05	29
TB-1015	35	TB-1633	50	TB-1937	11	TB-5501	21	TB-7814	22	TB-9860	43	TB-DS10	55	TB-HKS100	3	TB-SW90	35	TB-YY10	29
TB-1018	35	TB-1635	50	TB-1938	9	TB-5502	21	TB-7815	22	TB-9865	43	TB-DS20	56	TB-HKS80	3	TB-TH05	30	TB-YY15	29
TB-1020	35	TB-1708	16	TB-1939	9	TB-5510	21	TB-7816	22	TB-9870	43	TB-ET05	12	TB-HS30	11	TB-TH10	39	TB-YY20	29
TB-1021	35	TB-1709	16	TB-1940	17	TB-5516	22	TB-8015	38	TB-98750	5	TB-ET06	12	TB-HS32	11	TB-TH20	39	TB-YY25	29
TB-1025	35	TB-1710	16	TB-1940A	17	TB-5517	22	TB-8018	38	TB-98755	5	TB-FD05	46	TB-HS36	11	TB-TH30	30	TB-YY30	29
TB-1030	35	TB-1711	15	TB-1941	11	TB-5518	22	TB-8075	17	TBA1000	7	TB-FD08	46	TB-HS40	11	TB-TH35	30		
TB-1035	35	TB-1718	15	TB-1942	12	TB-5519	22	TB-8455	42	TBA2000	7	TB-FD10	44	TB-HT10	13	TB-TL01	25		
TB-1045	35	TB-1812	54	TB-1943	12	TB-5523	21	TB-8616	40	TBA300	8	TB-FD15	45	TB-HT11	13	TB-TL05	25		
TB-1050	35	TB-1817	54	TB-1944	12	TB-5526	21	TB-8625	42	TBA3000	7	TB-FD18	45	TB-IR10	18	TB-TL08	28		
TB-1055	35	TB-1817A	54	TB-1945	10	TB-5540	21	TB-8645	39	TBA500	8	TB-FD20	44	TB-MW40	17	TB-TL15	25		
TB-1060	36	TB-1821	54	TB-1945-1	10	TB-5550	21	TB-8648	40	TBA600	8	TB-FD25	45	TB-MW50	42	TB-TL18	28		
TB-1065	36	TB-1822	54	TB-1945-2	10	TB-5560	21	TB-8649	40	TBA800	8	TB-FD28	45	TB-MW60	42	TB-TL20	26		
TB-1066	36	TB-1823	54	TB-1945-3	10	TB-5566	25	TB-8650	40	TBA9000	0	TB-FD30	44	TB-PB08	3	TB-TW05	32		
TB-1067	36	TB-1824	54	TB-1946	12	TB-5568	28	TB-8651	40	TBA9000	1	TB-FD40	44	TB-PB08-1	3	TB-TW06	32		
TB-1068	36	TB-1825	54	TB-1947	12	TB-5569	28	TB-8652	40	TB-BB10	37	TB-FD45	45	TB-PB08H	3	TB-TW07	32		
TB-1069	36	TB-1826	54	TB-1948	10	TB-5570	21	TB-8653	40	TB-BB11	37	TB-FD50	45	TB-PB08H-1	3	TB-TW09	32		
TB-1075	36	TB-1827	54	TB-1959	49	TB-5596	21	TB-8654	40	TB-BB15	37	TB-FD55	46	TB-PB10	3	TB-TW10	32		
TB-1080	36	TB-1828	54	TB-1964	50	TB-5598	21	TB-8825	56	TB-BB16	37	TB-FD58	46	TB-PB10-1	3	TB-TW12	32		
TB-1085	35	TB-19000	14	TB-1965	51	TB-6485	41	TB-8830	35	TB-BB18	38	TB-FD60	45	TB-PB10H	3	TB-TW15	31		
TB-1090	35	TB-19001	36	TB-1965B	53	TB-6616	41	TB-8860	34	TB-BB19	38	TB-FD65	44	TB-PB10H-1	3	TB-TW20	32		
TB-1095	35	TB-19002	36	TB-1965C	53	TB-6617	41	TB-8866	34	TB-BB20	38	TB-FD70	45	TB-PB30	4	TB-TW30	32		
TB-1100	56	TB-1900B	36	TB-1966	53	TB-6618	41	TB-8868	34	TB-BB30	37	TB-FP08	26	TB-PB40	3	TB-TW50	31		
TB-1103	24	TB-1901	14	TB-1967	51	TB-6715	39	TB-8911	38	TB-BB35	37	TB-FP09	26	TB-PD10	42	TB-TW55	31		
TB-1108	56	TB-1902	14	TB-1968	51	TB-7253	29	TB-8911A	38	TB-BB40	37	TB-FP10	26	TB-PD30	42	TB-TW65	32		
TB-1118	25	TB-1903	14	TB-1971	0	TB-7254	29	TB-8912	38	TB-BB41	37	TB-FP20	26	TB-PD35	42	TB-VBM1	28		
TB-1120	25	TB-1904	14	TB-2618	29	TB-7518	56	TB-8913	38	TB-BP10	39	TB-FW10	33	TB-PD55	42	TB-VBM2	28		
TB-1121	25	TB-1905 L / R	14	TB-2628	29	TB-7528	56	TB-8919	38	TB-BP20	39	TB-FW20	33	TB-PF21	19	TB-VBT1	27		
TB-1130	9	TB-1906 L / R	14	TB-2638	29	TB-7535	29	TB-8920	38	TB-BR10	17	TB-FW30	33	TB-PF22	19	TB-VBY1	27		
TB-1131	9	TB-1907	50	TB-2648	29	TB-7538	56	TB-935B	9	TB-BR20	17	TB-FW40	33	TB-PF25	20	TB-VC10	26		
TB-1161	10	TB-1908	49	TB-3208	15	TB-7540	29	TB-935D	9	TB-CB10	41	TB-FW50	34	TB-PF26	19	TB-VC20	26		
TB-1161-1	10	TB-1908-1	49	TB-3225	16	TB-7545	29	TB-935F	9	TB-CB20	41	TB-HB08	40	TB-PF30	19	TB-WC10	0		
TB-1161A	10	TB-1909	49	TB-3230	16	TB-7548	56	TB-945A	10	TB-CC20	23	TB-HB10	40	TB-PF32	20	TB-WC10	55		
TB-1162	22	TB-1909-1	49	TB-3235	16	TB-7558	56	TB-945B	10	TB-CC30	23	TB-HB100	40	TB-PF33	20	TB-WC30	18		
TB-1169	10	TB-1912	56	TB-3255	16	TB-76160	30	TB-945C	10	TB-CC40	23	TB-HB13	40	TB-PF35	20	TB-WR10	18		
TB-1169A	10	TB-1914	56	TB-3256	16	TB-7625	30	TB-945D	10	TB-CC50	23	TB-HB14	40	TB-PF36	19	TB-WR11	18		
TB-1170	6	TB-1915	50	TB-32800	15	TB-7630	30	TB-945E	10	TB-CC60	23	TB-HB15	40	TB-PT10	55	TB-WS10	47		
TB-1180	27	TB-1917	10	TB-32900	15	TB-7631	30	TB-945F	10	TB-CC65	23	TB-HB16	40	TB-RT05	26	TB-WS10A	47		
TB-1200	54	TB-1918	0	TB-32950	15	TB-7632	30	TB-9600	43	TB-CC65A	23	TB-HB17	40	TB-SS10	52	TB-WS10B	47		
TB-1205	53	TB-1919	0	TB-3323	24	TB-7633	30	TB-9625	43	TB-CC65B	23	TB-HB18	40	TB-SS10A	52	TB-WS11	48		
TB-1310	4	TB-1925	11	TB-3326	24	TB-7634	30	TB-96710	6	TB-CC66	23	TB-HB19	40	TB-SS11	52	TB-WS12	48		
TB-1311	4	TB-1926	11	TB-3327	24	TB-7635	30	TB-9751	44	TB-CH10	24	TB-HB20	40	TB-SS20	51	TB-WS20	47		
TB-1312	4	TB-1926A	11	TB-3328	24	TB-7636	30	TB-9755	44	TB-CH20	24	TB-HB21	40	TB-SS20A	51	TB-WS20A	48		
TB-1315	4	TB-1927A	36	TB-3355	23	TB-7637	30	TB-9760	44	TB-CH30	24	TB-HB22	40	TB-SS22	51	TB-WS20B	48		
TB-1320	3	TB-1927B	36	TB-3370	24	TB-7638	30	TB-9785	46	TB-CH35	24	TB-HB24	40	TB-SS30	52	TB-WS30	47		
TB-1325	4	TB-1928A	36	TB-4515	55	TB-7640	30	TB-9786	46	TB-CP10	34	TB-HB25	40	TB-ST01	22	TB-WS30A	48		
TB-1330	4	TB-1928B	36	TB-4518	55	TB-7705	30	TB-98150	14	TB-CP15	33	TB-HB26	40	TB-ST11	22	TB-WS35	47		
TB-1445	34	TB-1929B	36	TB-4520	55	TB-7715	30	TB-98150-1	14	TB-CP15	37	TB-HB28	40	TB-ST12	22	TB-WS40	48		